NTP Historical Controls Report

All Routes And Vehicles

MICE

October 2007

REPORT DESCRIPTION

This report shows the tumor rates of control group animals from selected studies. The studies used are shown on the Study Summary page.

The report combines all the data from all of the historical control studies into one section. To see this data broken up by route and vehicle you must run the "By Route And Vehicle" report.

The individual tumor rates shown on the data pages of the report relate to the Study Summary page as follows: the tumor rates are shown in the same order as the Study Summary page, except that they are grouped horizontally in sets of three, with the males in the first set of three and the females in the second set. For example if the study summary showed the studies like this:

Male
    M1
    M2
    M3
    M4
    M5
Female
    F1
    F2
    F3
    F4
    F5

the data would be shown as:

Male			**Female**		
M1	M2	M3	F1	F2	F3
M4	M5		F4	F5	

Directly beneath the individual tumor rates on the data pages are the overall totals for that tumor/site combination. This includes the total tumors/animals, the overall mean (in parentheses), the mean of the study means, and the standard deviation of the study means.

Studies with no control animals of a particular gender are listed on the summary page with the Number of Animals shown as zero and the Start Date and Length of Study shown as "N/A". On the data pages there are blank spaces where tumor rates for these studies would normally be found, so that the male and female rates for the remaining studies can be easily compared.

Study Summary

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
Male							
Battelle Columbus Laboratory	058813804	09/14/99	730	50 (1)	44(717)	46.0	Benzophenone
Southern Research Institute	059902704	07/29/02	729	50 (1)	46(715)	50.0	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	N/A	N/A	0 (0)	0(0)	N/A	Cresols
Battelle Northwest	059601106	06/11/01	729	50 (5)	38(709)	53.9	Cumene
Battelle Columbus Laboratory	059700308	06/25/02	730	50 (1)	34(702)	54.2	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302008	05/08/00	729	50 (1)	39(710)	52.6	Diisopropylcarbodiimide
Battelle Northwest	058800406	09/27/99	729	50 (5)	41(702)	52.2	Divinylbenzene
Battelle Columbus Laboratory	058812307	10/04/01	728	50 (1)	39(698)	52.9	Formamide
Battelle Columbus Laboratory	059501106	08/09/01	728	50 (1)	40(702)	52.3	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810504	05/09/02	728	50 (1)	39(688)	56.7	Isoeugenol
Battelle Northwest	059700602	06/05/00	729	50 (5)	40(709)	53.2	Methyl isobutyl ketone
Southern Research Institute	059100508	07/10/00	729	50 (1)	35(693)	53.6	Methylene blue trihydrate
Southern Research Institute	059201206	07/29/98	729	50 (1)	43(706)	46.8	2-Methylimidazole
Southern Research Institute	059201306	02/03/00	729	50 (1)	45(717)	46.1	4-Methylimidazole
Battelle Northwest	058800604	07/30/01	729	50 (5)	35(698)	54.9	alpha-Methylstyrene
Battelle Columbus Laboratory	059902304	04/11/02	728	50 (1)	34(692)	56.2	beta-Myrcene
Battelle Northwest	059700806	09/17/01	729	50 (5)	37(694)	53.5	Propargyl alcohol
Southern Research Institute	052011406	09/04/02	729	50 (1)	33(700)	55.6	Sodium dichromate dihydrate (VI)
Battelle Northwest	059600106	12/21/98	729	50 (5)	34(690)	53.2	Stoddard solvent (type IIC)
Battelle Columbus Laboratory	050510914	09/24/98	726	50 (1)	37(710)	53.4	Triethanolamine
Southern Research Institute	059601906	10/10/01	729	50 (1)	38(696)	54.1	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601804	N/A	N/A	0 (0)	0(0)	N/A	Water disinfection byproducts (Bromodichloromethane)
Southern Research Institute	059601706	02/23/00	729	49 (1)	31(685)	52.5	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601506	08/22/01	729	50 (1)	40(697)	54.0	Water disinfection byproducts (Dibromoacetonitrile)
Southern Research Institute	059601004	09/30/98	729	50 (1)	38(694)	54.1	Water disinfection byproducts (Sodium chlorate)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

Laboratory Name	Study Number	Study Start Date	Length of Study in Days	Number of Animals Total and (#/Cage)	Number Surviving and (Mean Life Span)	Maximum Mean Weekly Body Weight	Chemical
				Female			
Battelle Columbus Laboratory	058813804	09/13/99	729	50 (5)	40(706)	46.2	Benzophenone
Southern Research Institute	059902704	07/29/02	732	50 (5)	45(698)	50.3	Chromium picolinate monohydrate
Battelle Columbus Laboratory	050517406	08/20/02	728	50 (5)	41(696)	51.8	Cresols
Battelle Northwest	059601106	06/11/01	731	50 (5)	37(685)	60.7	Cumene
Battelle Columbus Laboratory	059700308	06/24/02	729	50 (1)	33(693)	60.9	1,2-Dibromo-2,4-dicyanobutane
Southern Research Institute	059302008	05/08/00	732	50 (1)	33(674)	65.7	Diisopropylcarbodiimide
Battelle Northwest	058800406	09/27/99	731	50 (5)	33(681)	63.0	Divinylbenzene
Battelle Columbus Laboratory	058812307	10/03/01	727	50 (5)	38(692)	64.7	Formamide
Battelle Columbus Laboratory	059501106	08/08/01	727	50 (5)	39(694)	64.4	5-(Hydroxymethyl)-2-furfural
Battelle Columbus Laboratory	058810504	05/08/02	727	49 (5)	34(679)	65.0	Isoeugenol
Battelle Northwest	059700602	06/05/00	731	50 (5)	35(695)	60.3	Methyl isobutyl ketone
Southern Research Institute	059100508	07/10/00	732	50 (5)	29(695)	63.5	Methylene blue trihydrate
Southern Research Institute	059201206	07/29/98	732	50 (5)	46(720)	38.8	2-Methylimidazole
Southern Research Institute	059201306	02/03/00	734	50 (5)	42(706)	45.6	4-Methylimidazole
Battelle Northwest	058800604	07/30/01	731	50 (5)	39(701)	58.6	alpha-Methylstyrene
Battelle Columbus Laboratory	059902304	04/10/02	727	50 (5)	39(705)	64.1	beta-Myrcene
Battelle Northwest	059700806	09/17/01	731	50 (5)	39(699)	58.3	Propargyl alcohol
Southern Research Institute	052011406	09/04/02	735	50 (5)	35(701)	64.3	Sodium dichromate dihydrate (VI)
Battelle Northwest	059600106	12/21/98	731	50 (5)	36(702)	54.6	Stoddard solvent (type IIC)
Battelle Columbus Laboratory	050510914	09/23/98	729	50 (1)	35(692)	62.7	Triethanolamine
Southern Research Institute	059601906	10/10/01	734	50 (5)	36(693)	63.0	Water disinfection byproducts (Bromochloroacetic acid)
Southern Research Institute	059601804	12/15/98	729	50 (5)	36(699)	66.6	Water disinfection byproducts (Bromodichloromethane)
Southern Research Institute	059601706	02/23/00	734	50 (5)	38(708)	64.3	Water disinfection byproducts (Dibromoacetic acid)
Southern Research Institute	059601506	08/22/01	731	50 (5)	35(705)	60.9	Water disinfection byproducts (Dibromoacetonitrile)
Southern Research Institute	059601004	09/30/98	735	50 (5)	36(691)	66.5	Water disinfection byproducts (Sodium chlorate)

NOTE: The text on page 2 ("Report Description") describes how the studies listed here are displayed on the data pages that follow.

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 5
Report Date:10/04/2007

		Male					Female			

#All Organs:
Benign Tumors

	Male					Female				
	27/50 (54%)	28/50 (56%)				15/50 (30%)	16/50 (32%)	16/50 (32%)
	43/50 (86%)	40/50 (80%)	29/50 (58%)			34/50 (68%)	39/50 (78%)	35/50 (70%)
	35/50 (70%)	31/50 (62%)	42/50 (84%)			28/50 (56%)	17/50 (34%)	26/50 (52%)
	33/50 (66%)	27/50 (54%)	37/50 (74%)			20/49 (41%)	29/50 (58%)	25/50 (50%)
	23/50 (46%)	26/50 (52%)	35/50 (70%)			13/50 (26%)	18/50 (36%)	26/50 (52%)
	33/50 (66%)	28/50 (56%)	42/50 (84%)			21/50 (42%)	26/50 (52%)	27/50 (54%)
	32/50 (64%)	30/50 (60%)	41/50 (82%)			27/50 (54%)	24/50 (48%)	32/50 (64%)
		25/49 (51%)	32/50 (64%)			34/50 (68%)	29/50 (58%)	29/50 (58%)
	34/50 (68%)					38/50 (76%)

Overall Incidence   Total   753/1149 (65.54%)   Mean 65.52%   SD 11.73%   Total   644/1249 (51.56%)   Mean 51.55%   SD 14.64%

#All Organs:
Malignant Tumors

	Male					Female				
	17/50 (34%)	24/50 (48%)				16/50 (32%)	22/50 (44%)	20/50 (40%)
	27/50 (54%)	27/50 (54%)	27/50 (54%)			26/50 (52%)	31/50 (62%)	26/50 (52%)
	26/50 (52%)	28/50 (56%)	26/50 (52%)			22/50 (44%)	26/50 (52%)	16/50 (32%)
	20/50 (40%)	29/50 (58%)	26/50 (52%)			21/49 (43%)	30/50 (60%)	26/50 (52%)
	20/50 (40%)	15/50 (30%)	19/50 (38%)			12/50 (24%)	20/50 (40%)	29/50 (58%)
	30/50 (60%)	22/50 (44%)	31/50 (62%)			14/50 (28%)	23/50 (46%)	22/50 (44%)
	23/50 (46%)	28/50 (56%)	36/50 (72%)			19/50 (38%)	27/50 (54%)	38/50 (76%)
		23/49 (47%)	29/50 (58%)			43/50 (86%)	36/50 (72%)	31/50 (62%)
	29/50 (58%)					33/50 (66%)

Overall Incidence   Total   582/1149 (50.65%)   Mean 50.65%   SD 9.79%   Total   629/1249 (50.36%)   Mean 50.35%   SD 15.17%

#All Organs:
Malignant and Benign Tumors

	Male					Female				
	38/50 (76%)	40/50 (80%)				25/50 (50%)	31/50 (62%)	29/50 (58%)
	48/50 (96%)	45/50 (90%)	42/50 (84%)			42/50 (84%)	46/50 (92%)	47/50 (94%)
	43/50 (86%)	41/50 (82%)	49/50 (98%)			40/50 (80%)	36/50 (72%)	34/50 (68%)
	43/50 (86%)	45/50 (90%)	46/50 (92%)			34/49 (69%)	42/50 (84%)	39/50 (78%)
	32/50 (64%)	34/50 (68%)	43/50 (86%)			23/50 (46%)	29/50 (58%)	40/50 (80%)
	43/50 (86%)	38/50 (76%)	49/50 (98%)			30/50 (60%)	37/50 (74%)	36/50 (72%)
	42/50 (84%)	45/50 (90%)	47/50 (94%)			39/50 (78%)	38/50 (76%)	43/50 (86%)
		37/49 (76%)	41/50 (82%)			46/50 (92%)	42/50 (84%)	44/50 (88%)
	45/50 (90%)					47/50 (94%)

Overall Incidence   Total   976/1149 (84.94%)   Mean 84.94%   SD 8.84%   Total   939/1249 (75.18%)   Mean 75.18%   SD 13.6%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE
Route: ALL ROUTES
Strain: B6C3F1
Vehicle: ALL VEHICLES
Length of Study: CHRONIC

	Male			Female		

#All Organs:
Hemangioma

Male 1	Male 2	Male 3	Female 1	Female 2	Female 3
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)
0/50 (0%)	1/50 (2%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)
1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)
	0/49 (0%)	1/50 (2%)	1/50 (2%)	3/50 (6%)	0/50 (0%)
0/50 (0%)			2/50 (4%)		

Overall Incidence   Total 9/1149 (0.78%)   Mean 0.78%   SD 1.17%   Total 20/1249 (1.6%)   Mean 1.6%   SD 1.83%

#All Organs:
Hemangiosarcoma

Male 1	Male 2	Male 3	Female 1	Female 2	Female 3
3/50 (6%)	2/50 (4%)		1/50 (2%)	3/50 (6%)	1/50 (2%)
0/50 (0%)	6/50 (12%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	4/50 (8%)
6/50 (12%)	3/50 (6%)	2/50 (4%)	1/50 (2%)	2/50 (4%)	5/50 (10%)
3/50 (6%)	3/50 (6%)	6/50 (12%)	1/49 (2%)	3/50 (6%)	3/50 (6%)
2/50 (4%)	1/50 (2%)	4/50 (8%)	2/50 (4%)	3/50 (6%)	4/50 (8%)
7/50 (14%)	2/50 (4%)	4/50 (8%)	1/50 (2%)	2/50 (4%)	2/50 (4%)
1/50 (2%)	3/50 (6%)	3/50 (6%)	1/50 (2%)	3/50 (6%)	1/50 (2%)
	4/49 (8%)	1/50 (2%)	8/50 (16%)	1/50 (2%)	3/50 (6%)
1/50 (2%)			3/50 (6%)		

Overall Incidence   Total 67/1149 (5.83%)   Mean 5.83%   SD 3.91%   Total 60/1249 (4.8%)   Mean 4.8%   SD 3.32%

#All Organs:
Hemangiosarcoma or Hemangioma

Male 1	Male 2	Male 3	Female 1	Female 2	Female 3
3/50 (6%)	2/50 (4%)		1/50 (2%)	3/50 (6%)	1/50 (2%)
1/50 (2%)	6/50 (12%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	6/50 (12%)
6/50 (12%)	5/50 (10%)	2/50 (4%)	2/50 (4%)	2/50 (4%)	7/50 (14%)
3/50 (6%)	4/50 (8%)	6/50 (12%)	1/49 (2%)	3/50 (6%)	4/50 (8%)
2/50 (4%)	1/50 (2%)	4/50 (8%)	2/50 (4%)	3/50 (6%)	5/50 (10%)
7/50 (14%)	2/50 (4%)	4/50 (8%)	3/50 (6%)	2/50 (4%)	3/50 (6%)
2/50 (4%)	4/50 (8%)	4/50 (8%)	2/50 (4%)	4/50 (8%)	3/50 (6%)
	4/49 (8%)	2/50 (4%)	8/50 (16%)	4/50 (8%)	3/50 (6%)
1/50 (2%)			5/50 (10%)		

Overall Incidence   Total 76/1149 (6.61%)   Mean 6.62%   SD 3.64%   Total 79/1249 (6.33%)   Mean 6.32%   SD 3.77%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories
Species: MICE **Route:** ALL ROUTES
Strain: B6C3F1 **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

#All Organs:
Histiocytic Sarcoma

Male				Female		
1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	3/50 (6%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	3/50 (6%)	2/50 (4%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	4/50 (8%)	1/50 (2%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	4/50 (8%)
1/50 (2%)				0/50 (0%)		

Overall Incidence Total 7/1149 (0.61%) Mean 0.61% SD 0.94% Total 31/1249 (2.48%) Mean 2.48% SD 2.54%

#All Organs:
Malignant Lymphoma: Histiocytic, Lymphocytic, Mixed, NOS,
or Undifferentiated Cell Type

Male				Female		
2/50 (4%)	2/50 (4%)			8/50 (16%)	5/50 (10%)	7/50 (14%)
2/50 (4%)	1/50 (2%)	2/50 (4%)		7/50 (14%)	14/50 (28%)	10/50 (20%)
1/50 (2%)	2/50 (4%)	2/50 (4%)		11/50 (22%)	10/50 (20%)	8/50 (16%)
0/50 (0%)	1/50 (2%)	2/50 (4%)		11/49 (22%)	13/50 (26%)	6/50 (12%)
2/50 (4%)	3/50 (6%)	0/50 (0%)		6/50 (12%)	7/50 (14%)	15/50 (30%)
1/50 (2%)	1/50 (2%)	2/50 (4%)		7/50 (14%)	13/50 (26%)	7/50 (14%)
3/50 (6%)	0/50 (0%)	2/50 (4%)		5/50 (10%)	8/50 (16%)	18/50 (36%)
	0/49 (0%)	0/50 (0%)		29/50 (58%)	27/50 (54%)	9/50 (18%)
3/50 (6%)				23/50 (46%)		

Overall Incidence Total 34/1149 (2.96%) Mean 2.96% SD 1.99% Total 284/1249 (22.74%) Mean 22.74% SD 13.15%

#All Organs:
Mesothelioma: Benign, Malignant, NOS

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence Total 2/1149 (0.17%) Mean 0.17% SD 0.83% Total 0/1249 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007

Contract/Lab: All Laboratories

Species: MICE

Strain: B6C3F1

Length of Study: CHRONIC

Toxicology Data Management System

Tumor Incidence for Selected Control Animal Groups

Route: ALL ROUTES

Vehicle: ALL VEHICLES

Page: 8

Report Date: 10/04/2007

	Male				Female		

#All Organs:
  Mesothelioma: Malignant

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence Total 2/1149 (0.17%) Mean 0.17% SD 0.83% Total 0/1249 (0%) Mean 0% SD 0%

#All Organs:
  Osteoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence Total 0/1149 (0%) Mean 0% SD 0% Total 2/1249 (0.16%) Mean 0.16% SD 0.55%

#All Organs:
  Osteosarcoma

Male				Female		
0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence Total 3/1149 (0.26%) Mean 0.26% SD 0.69% Total 7/1249 (0.56%) Mean 0.56% SD 0.92%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Oct2007

Toxicology Data Management System

Page: 9

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Report Date:10/04/2007

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male						Female					

#All Organs:
 Osteosarcoma or Osteoma

	0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence Total 3/1149 (0.26%)　Mean 0.26%　SD 0.69%　Total 9/1249 (0.72%)　Mean 0.72%　SD 0.98%

....

*Adrenal Cortex:
 Adenoma

	0/50	(0%)	0/50	(0%)			1/50	(2%)	0/50	(0%)	0/49	(0%)
	1/50	(2%)	6/50	(12%)	5/50	(10%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	3/49	(6%)	2/50	(4%)	5/49	(10%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
	3/50	(6%)	2/50	(4%)	5/48	(10%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	4/50	(8%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
	2/50	(4%)	1/49	(2%)	7/49	(14%)	1/50	(2%)	0/49	(0%)	0/49	(0%)
	4/49	(8%)	3/50	(6%)	9/50	(18%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
			3/49	(6%)	6/50	(12%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	3/50	(6%)					1/50	(2%)				

Overall Incidence Total 74/1142 (6.48%)　Mean 6.49%　SD 4.9%　Total 5/1244 (0.4%)　Mean 0.4%　SD 0.82%

....

*Adrenal Cortex:
 Sarcoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence Total 0/1142 (0%)　Mean 0%　SD 0%　Total 1/1244 (0.08%)　Mean 0.08%　SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:** 10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

Male			Female		

*Adrenal Medulla:
Pheochromocytoma Benign

Male			Female		
0/50 (0%)	0/49 (0%)		1/50 (2%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	2/50 (4%)	0/49 (0%)
2/49 (4%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	2/50 (4%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
0/50 (0%)	0/47 (0%)	0/49 (0%)	0/50 (0%)	1/48 (2%)	0/49 (0%)
0/48 (0%)	1/50 (2%)	0/50 (0%)	1/49 (2%)	1/49 (2%)	0/50 (0%)
	0/49 (0%)	1/49 (2%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
0/49 (0%)			1/50 (2%)		

Overall Incidence   Total   4/1135 (0.35%)   Mean 0.35%   SD 1%   Total   14/1239 (1.13%)   Mean 1.13%   SD 1.43%

....

*Adrenal Medulla:
Pheochromocytoma Complex

Male			Female		
0/50 (0%)	0/49 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/48 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/47 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	1/50 (2%)
	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1135 (0%)   Mean 0%   SD 0%   Total   1/1239 (0.08%)   Mean 0.08%   SD 0.4%

....

*Adrenal Medulla:
Pheochromocytoma Malignant

Male			Female		
0/50 (0%)	0/49 (0%)		0/50 (0%)	1/49 (2%)	1/49 (2%)
0/50 (0%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
0/49 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/48 (0%)	0/48 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/47 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)	1/49 (2%)	0/49 (0%)	1/50 (2%)
	1/49 (2%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)			2/50 (4%)		

Overall Incidence   Total   4/1135 (0.35%)   Mean 0.35%   SD 0.78%   Total   7/1239 (0.56%)   Mean 0.56%   SD 1.09%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Species: MICE **Route:** ALL ROUTES

Strain: B6C3F1 **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

		Male					Female		

*Adrenal Medulla:

Pheochromocytoma: Benign, Complex, Malignant, NOS

		Male					Female		
		0/50 (0%)	0/49 (0%)				1/50 (2%)	1/49 (2%)	1/49 (2%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)			0/50 (0%)	2/50 (4%)	0/49 (0%)
		2/49 (4%)	1/50 (2%)	0/49 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/48 (0%)			0/48 (0%)	2/50 (4%)	1/50 (2%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	2/50 (4%)
		0/50 (0%)	0/47 (0%)	0/49 (0%)			0/50 (0%)	1/48 (2%)	0/49 (0%)
		0/48 (0%)	1/50 (2%)	0/50 (0%)			2/49 (4%)	1/49 (2%)	2/50 (4%)
			1/49 (2%)	1/49 (2%)			1/50 (2%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)					3/50 (6%)		
Overall Incidence	Total	8/1135 (0.7%)		Mean 0.7%	SD 1.16%	Total	22/1239 (1.78%)	Mean 1.77%	SD 1.77%

....

*Bone Marrow:

Hemangiosarcoma

		Male					Female		
		0/49 (0%)	0/50 (0%)				1/50 (2%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	1/50 (2%)	0/49 (0%)			0/49 (0%)	0/50 (0%)	1/49 (2%)
		2/50 (4%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	1/50 (2%)			0/48 (0%)	0/50 (0%)	0/50 (0%)
		1/50 (2%)	1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	1/49 (2%)			0/50 (0%)	2/50 (4%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	1/50 (2%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
			0/47 (0%)	0/50 (0%)			2/50 (4%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)					1/50 (2%)		
Overall Incidence	Total	8/1142 (0.7%)		Mean 0.7%	SD 1.15%	Total	7/1243 (0.56%)	Mean 0.56%	SD 1.23%

....

*Bone Marrow:

Mast Cell Tumor Malignant

		Male					Female		
		0/49 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)			0/49 (0%)	0/50 (0%)	0/49 (0%)
		1/50 (2%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/49 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/50 (0%)	0/50 (0%)	0/49 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
			0/47 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)					0/50 (0%)		
Overall Incidence	Total	1/1142 (0.09%)		Mean 0.09%	SD 0.42%	Total	0/1243 (0%)	Mean 0%	SD 0%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE

Strain: B6C3F1   **Route:** ALL ROUTES

Length of Study: CHRONIC   **Vehicle:** ALL VEHICLES

	Male				Female		

#Bone:
  Osteoma

Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Bone:
  Osteosarcoma

Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.69%   Total   5/1249 (0.4%)   Mean 0.4%   SD 0.82%

....

#Bone:
  Osteosarcoma or Osteoma

Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.69%   Total   7/1249 (0.56%)   Mean 0.56%   SD 0.92%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007

Contract/Lab: All Laboratories

Species: MICE

Strain: B6C3F1

Length of Study: CHRONIC

Toxicology Data Management System

Tumor Incidence for Selected Control Animal Groups

Route: ALL ROUTES

Vehicle: ALL VEHICLES

Page: 13

Report Date:10/04/2007

	Male				Female		

#Bone:
  Sarcoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   0/1249 (0%)   Mean 0%   SD 0%

....

*Brain:
  Schwannoma Malignant

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   0/1148 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

*Clitoral/Preputial Gland:
  Adenoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/44 (0%)	0/49 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/45 (0%)	0/48 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/43 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/48 (0%)		0/40 (0%)	0/50 (0%)	0/43 (0%)
	0/49 (0%)	1/49 (2%)		0/48 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)				0/47 (0%)		

Overall Incidence   Total   1/1144 (0.09%)   Mean 0.09%   SD 0.43%   Total   0/1176 (0%)   Mean 0%   SD 0%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male			Female		

*Clitoral/Preputial Gland:
  Carcinoma

Male		Male		Male		Female		Female		Female	
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/44	(0%)	1/49	(2%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/41	(0%)	0/50	(0%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/43	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/42	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/48	(0%)	0/40	(0%)	0/50	(0%)	0/43	(0%)
		0/49	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/47	(0%)
0/50	(0%)					0/47	(0%)				

Overall Incidence   Total 0/1144 (0%)   Mean 0%   SD 0%   Total 1/1176 (0.09%)   Mean 0.08%   SD 0.41%

*Clitoral/Preputial Gland:
  Carcinoma or Adenoma

Male		Male		Male		Female		Female		Female	
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/44	(0%)	1/49	(2%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/41	(0%)	0/50	(0%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/43	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/42	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/48	(0%)	0/40	(0%)	0/50	(0%)	0/43	(0%)
		0/49	(0%)	1/49	(2%)	0/48	(0%)	0/50	(0%)	0/47	(0%)
0/50	(0%)					0/47	(0%)				

Overall Incidence   Total 1/1144 (0.09%)   Mean 0.09%   SD 0.43%   Total 1/1176 (0.09%)   Mean 0.08%   SD 0.41%

*Clitoral/Preputial Gland:
  Hemangiosarcoma

Male		Male		Male		Female		Female		Female	
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/44	(0%)	0/49	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/41	(0%)	0/50	(0%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/45	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/43	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/42	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/48	(0%)	0/40	(0%)	0/50	(0%)	0/43	(0%)
		0/49	(0%)	0/49	(0%)	0/48	(0%)	0/50	(0%)	0/47	(0%)
0/50	(0%)					0/47	(0%)				

Overall Incidence   Total 1/1144 (0.09%)   Mean 0.09%   SD 0.42%   Total 0/1176 (0%)   Mean 0%   SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

*Clitoral/Preputial Gland:
  Squamous Cell Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/44 (0%)	0/49 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/41 (0%)	0/50 (0%)	0/46 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)	0/45 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/43 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/42 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/48 (0%)		0/40 (0%)	0/50 (0%)	0/43 (0%)
	0/49 (0%)	0/49 (0%)		0/48 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)				0/47 (0%)		

Overall Incidence   Total   0/1144 (0%)   Mean 0%   SD 0%   Total   1/1176 (0.09%)   Mean 0.09%   SD 0.47%

....

*Epididymis:
  Sarcoma

Male		
0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)
0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%

....

#Eye:
  Sarcoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

*Gallbladder:
Adenoma

Male				Female		
0/45 (0%)	0/46 (0%)			0/49 (0%)	0/48 (0%)	0/50 (0%)
0/43 (0%)	0/49 (0%)	0/45 (0%)		0/38 (0%)	0/50 (0%)	0/42 (0%)
1/42 (2%)	0/45 (0%)	0/49 (0%)		0/45 (0%)	0/47 (0%)	0/50 (0%)
0/44 (0%)	0/43 (0%)	0/40 (0%)		0/42 (0%)	0/42 (0%)	0/42 (0%)
0/46 (0%)	0/44 (0%)	0/42 (0%)		0/49 (0%)	0/47 (0%)	0/47 (0%)
0/49 (0%)	0/40 (0%)	0/47 (0%)		0/47 (0%)	0/41 (0%)	0/44 (0%)
0/39 (0%)	0/48 (0%)	0/45 (0%)		0/40 (0%)	0/48 (0%)	0/42 (0%)
	0/39 (0%)	0/47 (0%)		0/46 (0%)	0/47 (0%)	0/46 (0%)
0/44 (0%)				0/40 (0%)		

Overall Incidence   Total 1/1021 (0.1%)   Mean 0.1%   SD 0.5%   Total 0/1129 (0%)   Mean 0%   SD 0%

#Harderian Gland:
Adenoma

Male				Female		
6/50 (12%)	5/50 (10%)			1/50 (2%)	7/50 (14%)	6/50 (12%)
8/50 (16%)	7/50 (14%)	9/50 (18%)		8/50 (16%)	6/50 (12%)	9/50 (18%)
5/50 (10%)	6/50 (12%)	11/50 (22%)		4/50 (8%)	4/50 (8%)	7/50 (14%)
8/50 (16%)	5/50 (10%)	8/50 (16%)		3/49 (6%)	6/50 (12%)	4/50 (8%)
9/50 (18%)	4/50 (8%)	10/50 (20%)		3/50 (6%)	6/50 (12%)	3/50 (6%)
9/50 (18%)	3/50 (6%)	6/50 (12%)		4/50 (8%)	4/50 (8%)	4/50 (8%)
7/50 (14%)	7/50 (14%)	5/50 (10%)		4/50 (8%)	5/50 (10%)	1/50 (2%)
	3/49 (6%)	5/50 (10%)		3/50 (6%)	9/50 (18%)	6/50 (12%)
6/50 (12%)				11/50 (22%)		

Overall Incidence   Total 152/1149 (13.23%)   Mean 13.22%   SD 4.29%   Total 128/1249 (10.25%)   Mean 10.24%   SD 4.91%

#Harderian Gland:
Carcinoma

Male				Female		
1/50 (2%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	1/50 (2%)
4/50 (8%)	0/50 (0%)	2/50 (4%)		5/50 (10%)	2/50 (4%)	1/50 (2%)
1/50 (2%)	2/50 (4%)	3/50 (6%)		2/50 (4%)	4/50 (8%)	0/50 (0%)
4/50 (8%)	2/50 (4%)	3/50 (6%)		1/49 (2%)	1/50 (2%)	0/50 (0%)
1/50 (2%)	1/50 (2%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
1/50 (2%)	3/50 (6%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	2/50 (4%)	2/50 (4%)
	0/49 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	2/50 (4%)
0/50 (0%)				1/50 (2%)		

Overall Incidence   Total 30/1149 (2.61%)   Mean 2.61%   SD 2.66%   Total 33/1249 (2.64%)   Mean 2.64%   SD 2.36%

---

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

		Male						Female				

#Harderian Gland:
   Carcinoma or Adenoma

		Male								Female					
		7/50	(14%)	5/50	(10%)					1/50	(2%)	9/50	(18%)	7/50	(14%)
		11/50	(22%)	7/50	(14%)	10/50	(20%)			12/50	(24%)	8/50	(16%)	10/50	(20%)
		6/50	(12%)	7/50	(14%)	13/50	(26%)			6/50	(12%)	8/50	(16%)	7/50	(14%)
		12/50	(24%)	7/50	(14%)	11/50	(22%)			4/49	(8%)	7/50	(14%)	4/50	(8%)
		10/50	(20%)	5/50	(10%)	11/50	(22%)			4/50	(8%)	7/50	(14%)	4/50	(8%)
		9/50	(18%)	6/50	(12%)	6/50	(12%)			4/50	(8%)	4/50	(8%)	5/50	(10%)
		7/50	(14%)	7/50	(14%)	5/50	(10%)			5/50	(10%)	7/50	(14%)	3/50	(6%)
				3/49	(6%)	5/50	(10%)			4/50	(8%)	10/50	(20%)	8/50	(16%)
		6/50	(12%)							12/50	(24%)				
Overall Incidence	Total	176/1149	(15.32%)		Mean 15.31%		SD 5.34%	Total	160/1249	(12.81%)		Mean 12.81%		SD 5.62%	

*Heart:
   Hemangioma

		Male								Female					
		0/50	(0%)	0/50	(0%)					0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)							0/49	(0%)				
Overall Incidence	Total	1/1149	(0.09%)		Mean 0.09%		SD 0.42%	Total	0/1248	(0%)		Mean 0%		SD 0%	

*Heart:
   Hemangiosarcoma

		Male								Female					
		1/50	(2%)	0/50	(0%)					0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		2/50	(4%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)			0/50	(0%)	1/50	(2%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)							0/49	(0%)				
Overall Incidence	Total	4/1149	(0.35%)		Mean 0.35%		SD 0.98%	Total	2/1248	(0.16%)		Mean 0.16%		SD 0.55%	

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

*Heart:
  Sarcoma

	Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)				0/49 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.43%   Total   0/1248 (0%)   Mean 0%   SD 0%

#Intestine Large: Cecum:
  Carcinoma

	Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   4/1149 (0.35%)   Mean 0.35%   SD 0.78%   Total   0/1249 (0%)   Mean 0%   SD 0%

#Intestine Large: Cecum:
  Carcinoma or Adenoma

	Male col 1	Male col 2	Male col 3		Female col 1	Female col 2	Female col 3
	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   4/1149 (0.35%)   Mean 0.35%   SD 0.78%   Total   0/1249 (0%)   Mean 0%   SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

		Male						Female					

#Intestine Large: Cecum:
   Leiomyosarcoma

		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	0/1149	(0%)	Mean 0%		SD 0%		Total 1/1249	(0.08%)	Mean 0.08%		SD 0.4%	

....

#Intestine Large: Cecum:
   Polyp Adenomatous

		0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)					0/50	(0%)				
Overall Incidence	Total	1/1149	(0.09%)	Mean 0.09%		SD 0.42%		Total 0/1249	(0%)	Mean 0%		SD 0%	

....

#Intestine Small: Duodenum:
   Adenoma

		0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	3/50	(6%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
				0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)					0/50	(0%)				
Overall Incidence	Total	9/1149	(0.78%)	Mean 0.78%		SD 1.44%		Total 3/1249	(0.24%)	Mean 0.24%		SD 0.66%	

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male					Female		

#Intestine Small: Duodenum:
Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.92%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Intestine Small: Duodenum:
Polyp Adenomatous

Male				Female		
0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Intestine Small: Ileum:
Carcinoma

Male				Female		
0/50 (0%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

		Male							Female					

#Intestine Small: Jejunum:
  Adenoma

		0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)						0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 0/1249 (0%) Mean 0% SD 0%

#Intestine Small: Jejunum:
  Carcinoma

		0/50	(0%)	1/50	(2%)				0/50	(0%)	1/50	(2%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	1/50	(2%)	0/50	(0%)		1/50	(2%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	3/50	(6%)	1/50	(2%)		0/50	(0%)	0/50	(0%)	1/50	(2%)
				0/49	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		2/50	(4%)						0/50	(0%)				

Overall Incidence Total 14/1149 (1.22%) Mean 1.22% SD 1.88% Total 4/1249 (0.32%) Mean 0.32% SD 0.75%

#Intestine Small: Jejunum:
  Hemangiosarcoma

		0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
				0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)						0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 0/1249 (0%) Mean 0% SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

		Male						Female				

#Intestine Small: Jejunum:
  Leiomyosarcoma

			Male							Female		
		0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/49 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)						0/50 (0%)				

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Intestine Small: Jejunum:
  Polyp Adenomatous

			Male							Female		
		0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
			1/49 (2%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)						0/50 (0%)				

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.43%   Total   0/1249 (0%)   Mean 0%   SD 0%

#Intestine Small: Site Unspecified:
  Adenoma

			Male							Female		
		0/50 (0%)	1/50 (2%)					0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)				0/50 (0%)	0/50 (0%)	1/50 (2%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	1/50 (2%)	1/50 (2%)				0/49 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	1/50 (2%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	3/50 (6%)				0/50 (0%)	0/50 (0%)	1/50 (2%)		
			0/49 (0%)	1/50 (2%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)						0/50 (0%)				

Overall Incidence   Total   10/1149 (0.87%)   Mean 0.87%   SD 1.46%   Total   3/1249 (0.24%)   Mean 0.24%   SD 0.66%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Report Date: 10/04/2007

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male					Female				

#Intestine Small: Site Unspecified:
  Carcinoma

0/50	(0%)	2/50	(4%)			0/50	(0%)	1/50	(2%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
3/50	(6%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	1/50	(2%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	3/50	(6%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/49	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
2/50	(4%)					0/50	(0%)

Overall Incidence Total 18/1149 (1.57%) Mean 1.57% SD 2.09% Total 6/1249 (0.48%) Mean 0.48% SD 0.87%

··

#Intestine Small: Site Unspecified:
  Carcinoma or Adenoma

0/50	(0%)	3/50	(6%)			0/50	(0%)	1/50	(2%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
3/50	(6%)	0/50	(0%)	2/50	(4%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	1/50	(2%)	1/50	(2%)	0/49	(0%)	1/50	(2%)	1/50	(2%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	3/50	(6%)	5/50	(10%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
		0/49	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
3/50	(6%)					0/50	(0%)

Overall Incidence Total 27/1149 (2.35%) Mean 2.35% SD 2.74% Total 9/1249 (0.72%) Mean 0.72% SD 1.14%

··

#Intestine Small: Site Unspecified:
  Hemangiosarcoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 0/1249 (0%) Mean 0% SD 0%

··

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

		Male						Female					

#Intestine Small: Site Unspecified:
Leiomyosarcoma

	Male						Female					
	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Intestine Small: Site Unspecified:
Polyp Adenomatous

	Male						Female					
	0/50 (0%)	0/50 (0%)				1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		1/49 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total   2/1149 (0.17%)   Mean 0.18%   SD 0.58%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

*Islets, Pancreatic:
Adenoma

	Male						Female					
	0/50 (0%)	1/50 (2%)				0/50 (0%)	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)	1/49 (2%)			1/49 (2%)	1/50 (2%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/49 (2%)	0/50 (0%)			0/47 (0%)	0/50 (0%)	1/46 (2%)
	0/50 (0%)	0/49 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/49 (0%)
	0/50 (0%)	1/49 (2%)	3/49 (6%)			0/50 (0%)	0/50 (0%)	1/49 (2%)
	0/48 (0%)	0/50 (0%)	1/50 (2%)			1/49 (2%)	0/50 (0%)	1/49 (2%)
		0/46 (0%)	1/50 (2%)			3/49 (6%)	1/49 (2%)	1/49 (2%)
	1/48 (2%)					0/46 (0%)		

Overall Incidence   Total   11/1136 (0.97%)   Mean 0.97%   SD 1.49%   Total   12/1228 (0.98%)   Mean 0.98%   SD 1.46%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

*Islets, Pancreatic:
  Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	2/50 (4%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		1/48 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	0/46 (0%)
0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)
	0/46 (0%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/49 (0%)
0/48 (0%)				0/46 (0%)		

Overall Incidence   Total   1/1136 (0.09%)   Mean 0.09%   SD 0.42%   Total   4/1228 (0.33%)   Mean 0.32%   SD 0.95%

....

*Islets, Pancreatic:
  Carcinoma or Adenoma

Male				Female		
0/50 (0%)	1/50 (2%)			0/50 (0%)	2/50 (4%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	1/49 (2%)		1/49 (2%)	1/50 (2%)	0/50 (0%)
1/49 (2%)	0/50 (0%)	0/50 (0%)		1/48 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/49 (2%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	1/46 (2%)
0/50 (0%)	0/49 (0%)	1/50 (2%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	1/49 (2%)	3/49 (6%)		0/50 (0%)	1/50 (2%)	1/49 (2%)
0/48 (0%)	0/50 (0%)	1/50 (2%)		1/49 (2%)	0/50 (0%)	1/49 (2%)
	0/46 (0%)	1/50 (2%)		3/49 (6%)	1/49 (2%)	1/49 (2%)
1/48 (2%)				0/46 (0%)		

Overall Incidence   Total   12/1136 (1.06%)   Mean 1.06%   SD 1.49%   Total   16/1228 (1.3%)   Mean 1.3%   SD 1.54%

....

*Kidney: Renal Tubule:
  Adenoma

Male				Female		
0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/48 (0%)		0/49 (0%)	0/50 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/49 (0%)		0/47 (0%)	0/50 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)
1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)				0/50 (0%)		

Overall Incidence   Total   11/1144 (0.96%)   Mean 0.96%   SD 1.9%   Total   0/1240 (0%)   Mean 0%   SD 0%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

		Male						Female					

*Kidney: Renal Tubule:
  Carcinoma

	0/50	(0%)	1/50	(2%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/48	(0%)		0/49	(0%)	0/50	(0%)	0/49	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/49	(2%)		0/47	(0%)	0/50	(0%)	0/48	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)						0/50	(0%)				

Overall Incidence Total 4/1144 (0.35%)   Mean 0.35%   SD 0.78%   Total 0/1240 (0%)   Mean 0%   SD 0%

....

*Kidney: Renal Tubule:
  Carcinoma or Adenoma

	0/50	(0%)	3/50	(6%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/48	(0%)		0/49	(0%)	0/50	(0%)	0/49	(0%)
	1/50	(2%)	0/50	(0%)	1/50	(2%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	1/49	(2%)		0/47	(0%)	0/50	(0%)	0/48	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/50	(0%)
	1/50	(2%)	0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	4/50	(8%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
			1/49	(2%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)						0/50	(0%)				

Overall Incidence Total 15/1144 (1.31%)   Mean 1.31%   SD 2.06%   Total 0/1240 (0%)   Mean 0%   SD 0%

....

*Liver:
  Cholangiocarcinoma

	0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/50	(0%)
	1/48	(2%)						0/49	(0%)				

Overall Incidence Total 2/1146 (0.17%)   Mean 0.18%   SD 0.59%   Total 0/1245 (0%)   Mean 0%   SD 0%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

*Liver:
  Fibrous Histiocytoma

Male c1	Male c2	Male c3		Female c1	Female c2	Female c3
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)
0/48 (0%)				0/49 (0%)		

Overall Incidence   Total 0/1146 (0%)   Mean 0%   SD 0%   Total 1/1245 (0.08%)   Mean 0.08%   SD 0.4%

....

*Liver:
  Hemangioma

Male c1	Male c2	Male c3		Female c1	Female c2	Female c3
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	1/49 (2%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/49 (0%)	1/50 (2%)		0/50 (0%)	1/49 (2%)	0/50 (0%)
0/48 (0%)				2/49 (4%)		

Overall Incidence   Total 4/1146 (0.35%)   Mean 0.35%   SD 0.78%   Total 6/1245 (0.48%)   Mean 0.49%   SD 1.06%

....

*Liver:
  Hemangiosarcoma

Male c1	Male c2	Male c3		Female c1	Female c2	Female c3
0/50 (0%)	2/50 (4%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
3/50 (6%)	1/50 (2%)	1/50 (2%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	2/50 (4%)	2/50 (4%)		0/49 (0%)	1/50 (2%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	4/50 (8%)		0/50 (0%)	0/50 (0%)	1/50 (2%)
5/50 (10%)	1/49 (2%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	1/49 (2%)
0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)		2/50 (4%)	1/49 (2%)	2/50 (4%)
1/48 (2%)				1/49 (2%)		

Overall Incidence   Total 30/1146 (2.62%)   Mean 2.62%   SD 2.59%   Total 11/1245 (0.88%)   Mean 0.88%   SD 1.31%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male			Female		

*Liver:
Hepatoblastoma

	Male			Female		
	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/50 (2%)	2/50 (4%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
	3/50 (6%)	0/50 (0%)	2/50 (4%)	0/49 (0%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	4/50 (8%)	0/49 (0%)	17/50 (34%)	0/50 (0%)	0/50 (0%)	0/49 (0%)
	0/50 (0%)	1/50 (2%)	4/50 (8%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	1/50 (2%)	1/50 (2%)	1/49 (2%)	0/50 (0%)
	6/48 (13%)			1/49 (2%)		

Overall Incidence	Total	43/1146 (3.75%)	Mean 3.76%	SD 7.39%	Total	6/1245 (0.48%)	Mean 0.48%	SD 0.88%

....

*Liver:
Hepatocellular Adenoma

	Male			Female		
	11/50 (22%)	21/50 (42%)		5/50 (10%)	1/50 (2%)	4/50 (8%)
	34/50 (68%)	35/50 (70%)	18/50 (36%)	18/50 (36%)	31/50 (62%)	21/50 (42%)
	22/50 (44%)	24/50 (48%)	33/50 (66%)	17/49 (35%)	6/50 (12%)	14/50 (28%)
	24/50 (48%)	17/50 (34%)	28/50 (56%)	11/49 (22%)	13/50 (26%)	15/50 (30%)
	7/50 (14%)	17/50 (34%)	24/50 (48%)	3/50 (6%)	4/50 (8%)	10/50 (20%)
	26/50 (52%)	21/49 (43%)	36/50 (72%)	6/50 (12%)	15/50 (30%)	14/49 (29%)
	23/50 (46%)	19/50 (38%)	27/50 (54%)	9/50 (18%)	9/50 (18%)	27/50 (54%)
		18/49 (37%)	29/50 (58%)	24/50 (48%)	19/49 (39%)	19/50 (38%)
	30/48 (63%)			30/49 (61%)		

Overall Incidence	Total	544/1146 (47.47%)	Mean 47.48%	SD 14.9%	Total	345/1245 (27.71%)	Mean 27.75%	SD 17.03%

....

*Liver:
Hepatocellular Carcinoma

	Male			Female		
	8/50 (16%)	15/50 (30%)		0/50 (0%)	3/50 (6%)	1/50 (2%)
	13/50 (26%)	17/50 (34%)	20/50 (40%)	10/50 (20%)	8/50 (16%)	10/50 (20%)
	13/50 (26%)	15/50 (30%)	11/50 (22%)	5/49 (10%)	4/50 (8%)	2/50 (4%)
	8/50 (16%)	12/50 (24%)	13/50 (26%)	3/49 (6%)	6/50 (12%)	5/50 (10%)
	4/50 (8%)	10/50 (20%)	10/50 (20%)	2/50 (4%)	1/50 (2%)	3/50 (6%)
	14/50 (28%)	10/49 (20%)	14/50 (28%)	1/50 (2%)	4/50 (8%)	8/49 (16%)
	16/50 (32%)	17/50 (34%)	19/50 (38%)	6/50 (12%)	6/50 (12%)	14/50 (28%)
		14/49 (29%)	24/50 (48%)	13/50 (26%)	3/49 (6%)	10/50 (20%)
	20/48 (42%)			3/49 (6%)		

Overall Incidence	Total	317/1146 (27.66%)	Mean 27.68%	SD 9.2%	Total	131/1245 (10.52%)	Mean 10.52%	SD 7.67%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

*Liver:

Hepatocellular Carcinoma or Hepatoblastoma

Male				Female		
8/50 (16%)	15/50 (30%)			0/50 (0%)	3/50 (6%)	1/50 (2%)
14/50 (28%)	19/50 (38%)	20/50 (40%)		10/50 (20%)	9/50 (18%)	10/50 (20%)
13/50 (26%)	16/50 (32%)	12/50 (24%)		5/49 (10%)	4/50 (8%)	3/50 (6%)
11/50 (22%)	12/50 (24%)	15/50 (30%)		3/49 (6%)	6/50 (12%)	5/50 (10%)
4/50 (8%)	10/50 (20%)	10/50 (20%)		2/50 (4%)	1/50 (2%)	3/50 (6%)
16/50 (32%)	10/49 (20%)	25/50 (50%)		1/50 (2%)	4/50 (8%)	8/49 (16%)
16/50 (32%)	18/50 (36%)	21/50 (42%)		6/50 (12%)	6/50 (12%)	14/50 (28%)
	14/49 (29%)	24/50 (48%)		14/50 (28%)	4/49 (8%)	10/50 (20%)
23/48 (48%)				4/49 (8%)		

Overall Incidence   Total 346/1146 (30.19%)   Mean 30.21%   SD 10.72%   Total 136/1245 (10.92%)   Mean 10.92%   SD 7.77%

....

*Liver:

Hepatocellular Carcinoma or Hepatocellular Adenoma

Male				Female		
18/50 (36%)	32/50 (64%)			5/50 (10%)	4/50 (8%)	4/50 (8%)
40/50 (80%)	41/50 (82%)	35/50 (70%)		25/50 (50%)	32/50 (64%)	29/50 (58%)
30/50 (60%)	33/50 (66%)	39/50 (78%)		19/49 (39%)	9/50 (18%)	14/50 (28%)
28/50 (56%)	27/50 (54%)	37/50 (74%)		13/49 (27%)	17/50 (34%)	19/50 (38%)
10/50 (20%)	23/50 (46%)	28/50 (56%)		4/50 (8%)	5/50 (10%)	13/50 (26%)
33/50 (66%)	26/49 (53%)	42/50 (84%)		7/50 (14%)	17/50 (34%)	17/49 (35%)
34/50 (68%)	33/50 (66%)	34/50 (68%)		13/50 (26%)	12/50 (24%)	31/50 (62%)
	28/49 (57%)	37/50 (74%)		30/50 (60%)	22/49 (45%)	27/50 (54%)
41/48 (85%)				31/49 (63%)		

Overall Incidence   Total 729/1146 (63.61%)   Mean 63.64%   SD 15.62%   Total 419/1245 (33.65%)   Mean 33.69%   SD 19.1%

....

*Liver:

Hepatocellular Carcinoma, Hepatocellular Adenoma, or Hepatoblastoma

Male				Female		
18/50 (36%)	32/50 (64%)			5/50 (10%)	4/50 (8%)	4/50 (8%)
41/50 (82%)	41/50 (82%)	35/50 (70%)		25/50 (50%)	32/50 (64%)	29/50 (58%)
30/50 (60%)	34/50 (68%)	39/50 (78%)		19/49 (39%)	9/50 (18%)	15/50 (30%)
30/50 (60%)	27/50 (54%)	38/50 (76%)		13/49 (27%)	17/50 (34%)	19/50 (38%)
10/50 (20%)	23/50 (46%)	28/50 (56%)		4/50 (8%)	5/50 (10%)	13/50 (26%)
34/50 (68%)	26/49 (53%)	46/50 (92%)		7/50 (14%)	17/50 (34%)	17/49 (35%)
34/50 (68%)	33/50 (66%)	35/50 (70%)		13/50 (26%)	12/50 (24%)	31/50 (62%)
	28/49 (57%)	37/50 (74%)		31/50 (62%)	22/49 (45%)	27/50 (54%)
41/48 (85%)				31/49 (63%)		

Overall Incidence   Total 740/1146 (64.57%)   Mean 64.59%   SD 16.31%   Total 421/1245 (33.82%)   Mean 33.85%   SD 19.2%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Toxicology Data Management System

Species: MICE

Tumor Incidence for Selected Control Animal Groups

Strain: B6C3F1

Route: ALL ROUTES

Length of Study: CHRONIC

Vehicle: ALL VEHICLES

	Male						Female					

*Liver:

Hepatocholangiocarcinoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
	2/50	(4%)	5/50	(10%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/48	(0%)					0/49	(0%)				

Overall Incidence — Total 9/1146 (0.79%) — Mean 0.78% — SD 2.24% — Total 2/1245 (0.16%) — Mean 0.16% — SD 0.56%

*Liver:

Ito Cell Tumor Malignant

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	2/50	(4%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	2/50	(4%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/48	(0%)					0/49	(0%)				

Overall Incidence — Total 5/1146 (0.44%) — Mean 0.43% — SD 1.2% — Total 0/1245 (0%) — Mean 0% — SD 0%

*Liver:

Sarcoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)
	0/48	(0%)					0/49	(0%)				

Overall Incidence — Total 0/1146 (0%) — Mean 0% — SD 0% — Total 1/1245 (0.08%) — Mean 0.08% — SD 0.41%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories　　　　　　Tumor Incidence for Selected Control Animal Groups　　　　**Report Date:**10/04/2007
Species: MICE　　　　　　　　　　　　　　　　　**Route:** ALL ROUTES
Strain: B6C3F1　　　　　　　　　　　　　　　　**Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

*Lung:
　Adenoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence　　Total　2/1148 (0.17%)　　Mean 0.18%　　SD 0.58%　　Total　0/1248 (0%)　　Mean 0%　　SD 0%

....

*Lung:
　Alveolar/Bronchiolar Adenoma

Male				Female		
14/50 (28%)	13/50 (26%)			0/50 (0%)	1/50 (2%)	5/50 (10%)
13/50 (26%)	10/50 (20%)	6/50 (12%)		1/50 (2%)	2/50 (4%)	4/50 (8%)
12/49 (24%)	10/50 (20%)	10/50 (20%)		4/50 (8%)	4/50 (8%)	2/50 (4%)
6/50 (12%)	9/50 (18%)	11/50 (22%)		4/48 (8%)	4/50 (8%)	1/50 (2%)
11/50 (22%)	8/50 (16%)	8/50 (16%)		4/50 (8%)	0/50 (0%)	1/50 (2%)
8/50 (16%)	10/50 (20%)	15/50 (30%)		4/50 (8%)	3/50 (6%)	1/50 (2%)
6/50 (12%)	6/50 (12%)	4/50 (8%)		2/50 (4%)	3/50 (6%)	2/50 (4%)
	7/49 (14%)	6/50 (12%)		6/50 (12%)	1/50 (2%)	3/50 (6%)
6/50 (12%)				3/50 (6%)		

Overall Incidence　　Total　209/1148 (18.21%)　　Mean 18.21%　　SD 6.04%　　Total　65/1248 (5.21%)　　Mean 5.21%　　SD 3.23%

....

*Lung:
　Alveolar/Bronchiolar Carcinoma

Male				Female		
2/50 (4%)	3/50 (6%)			1/50 (2%)	1/50 (2%)	2/50 (4%)
9/50 (18%)	6/50 (12%)	2/50 (4%)		3/50 (6%)	3/50 (6%)	0/50 (0%)
5/49 (10%)	6/50 (12%)	7/50 (14%)		2/50 (4%)	2/50 (4%)	1/50 (2%)
2/50 (4%)	5/50 (10%)	1/50 (2%)		0/48 (0%)	0/50 (0%)	5/50 (10%)
6/50 (12%)	2/50 (4%)	5/50 (10%)		0/50 (0%)	3/50 (6%)	1/50 (2%)
5/50 (10%)	7/50 (14%)	3/50 (6%)		2/50 (4%)	2/50 (4%)	2/50 (4%)
7/50 (14%)	7/50 (14%)	12/50 (24%)		0/50 (0%)	2/50 (4%)	6/50 (12%)
	5/49 (10%)	4/50 (8%)		1/50 (2%)	1/50 (2%)	6/50 (12%)
4/50 (8%)				1/50 (2%)		

Overall Incidence　　Total　115/1148 (10.02%)　　Mean 10.02%　　SD 5.15%　　Total　47/1248 (3.77%)　　Mean 3.76%　　SD 3.43%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Male					Female				

*Lung:
Alveolar/Bronchiolar Carcinoma or Alveolar/Bronchiolar Adenoma

16/50	(32%)	16/50	(32%)			1/50	(2%)	2/50	(4%)	5/50	(10%)
19/50	(38%)	15/50	(30%)	8/50	(16%)	4/50	(8%)	5/50	(10%)	4/50	(8%)
16/49	(33%)	16/50	(32%)	16/50	(32%)	6/50	(12%)	5/50	(10%)	3/50	(6%)
7/50	(14%)	14/50	(28%)	12/50	(24%)	4/48	(8%)	4/50	(8%)	6/50	(12%)
14/50	(28%)	9/50	(18%)	13/50	(26%)	4/50	(8%)	3/50	(6%)	2/50	(4%)
13/50	(26%)	17/50	(34%)	16/50	(32%)	6/50	(12%)	5/50	(10%)	2/50	(4%)
13/50	(26%)	12/50	(24%)	15/50	(30%)	2/50	(4%)	5/50	(10%)	8/50	(16%)
		12/49	(24%)	10/50	(20%)	6/50	(12%)	2/50	(4%)	9/50	(18%)
10/50	(20%)					4/50	(8%)				

Overall Incidence	Total	309/1148	(26.92%)	Mean 26.92%	SD 6.19%		
	Total	107/1248	(8.57%)	Mean 8.57%	SD 3.89%		

....

*Lung:
Fibrosarcoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence	Total	1/1148	(0.09%)	Mean 0.09%	SD 0.42%		
	Total	0/1248	(0%)	Mean 0%	SD 0%		

....

*Lung:
Fibrous Histiocytoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence	Total	0/1148	(0%)	Mean 0%	SD 0%		
	Total	1/1248	(0.08%)	Mean 0.08%	SD 0.4%		

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male					Female				

*Lung:
  Hemangiosarcoma

	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/48 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)	1/50 (2%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total   2/1148 (0.17%)   Mean 0.17%   SD 0.58%   Total   0/1248 (0%)   Mean 0%   SD 0%

....

#Lymph Node:
  Fibrous Histiocytoma

	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Lymph Node:
  Hemangiosarcoma

	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

		Male						Female				

#Lymph Node:
  Sarcoma

		0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/49 (0%)	0/50 (0%)				1/50 (2%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)						0/50 (0%)				

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Lymph Node, Bronchial:
  Hemangiosarcoma

		0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		1/50 (2%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/49 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)						0/50 (0%)				

Overall Incidence   Total 1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total 0/1249 (0%)   Mean 0%   SD 0%

....

#Lymph Node, Mandibular:
  Fibrous Histiocytoma

		0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	1/50 (2%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
			0/49 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)		
		0/50 (0%)						0/50 (0%)				

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

		Male						Female					

#Lymph Node, Mediastinal:

Hemangiosarcoma

Male						Female					
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence — Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 0/1249 (0%) Mean 0% SD 0%

#Lymph Node, Mesenteric:

Fibrous Histiocytoma

Male						Female					
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence — Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 1/1249 (0.08%) Mean 0.08% SD 0.4%

#Lymph Node, Mesenteric:

Hemangiosarcoma

Male						Female					
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence — Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 1/1249 (0.08%) Mean 0.08% SD 0.4%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories Tumor Incidence for Selected Control Animal Groups
Species: MICE **Route:** ALL ROUTES
Strain: B6C3F1 **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

		Male						Female				

#Mammary Gland:
  Carcinoma

0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	2/50	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 16/1249 (1.28%) Mean 1.28% SD 1.4%

....

#Mammary Gland:
  Carcinoma or Adenoma

0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	2/50	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 16/1249 (1.28%) Mean 1.28% SD 1.4%

....

#Mammary Gland:
  Fibroma, Fibroadenoma, Carcinoma, or Adenoma

0/50	(0%)	0/50	(0%)			1/50	(2%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	2/50	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	2/50	(4%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 16/1249 (1.28%) Mean 1.28% SD 1.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male			Female		

#Mesentery:
  Fibrosarcoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	3/50 (6%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 4/1249 (0.32%)   Mean 0.32%   SD 1.25%

#Mesentery:
  Fibrous Histiocytoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			1/50 (2%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Mesentery:
  Hemangioma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 2/1249 (0.16%)   Mean 0.16%   SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

		Male					Female				

#Mesentery:
   Hemangiosarcoma

Male						Female					
0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	1/50 (2%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
	0/49 (0%)	0/50 (0%)				1/50 (2%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)						0/50 (0%)					

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Mesentery:
   Leiomyosarcoma

Male						Female					
0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
	0/49 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
1/50 (2%)						0/50 (0%)					

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   0/1249 (0%)   Mean 0%   SD 0%

#Mesentery:
   Sarcoma

Male						Female					
0/50 (0%)	0/50 (0%)					0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/49 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	0/50 (0%)			
0/50 (0%)	0/50 (0%)	0/50 (0%)				0/50 (0%)	0/50 (0%)	1/50 (2%)			
	0/49 (0%)	0/50 (0%)				0/50 (0%)	1/50 (2%)	0/50 (0%)			
0/50 (0%)						0/50 (0%)					

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

*Nose:

Carcinoma

0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)

Male						Female					
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					1/50	(2%)				

Overall Incidence Total 0/1146 (0%) Mean 0% SD 0% Total 1/1245 (0.08%) Mean 0.08% SD 0.4%

---

*Nose:

Hemangioma

Male						Female					
0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 0/1146 (0%) Mean 0% SD 0% Total 1/1245 (0.08%) Mean 0.08% SD 0.4%

---

*Nose:

Mast Cell Tumor Malignant

Male						Female					
0/50	(0%)	1/50	(2%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1146 (0.09%) Mean 0.09% SD 0.42% Total 0/1245 (0%) Mean 0% SD 0%

---

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male							Female					

*Nose:
  Sarcoma

Male							Female					
0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/49	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/49	(2%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)						0/50	(0%)				

Overall Incidence   Total   0/1146 (0%)   Mean 0%   SD 0%   Total   1/1245 (0.08%)   Mean 0.08%   SD 0.41%

....

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):
  Papilloma Squamous or Papilloma

Male							Female					
0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)		0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)						0/50	(0%)				

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):
  Squamous Cell Carcinoma

Male							Female					
0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)		0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)						1/50	(2%)				

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.69%   Total   4/1249 (0.32%)   Mean 0.32%   SD 0.75%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Toxicology Data Management System

Tumor Incidence for Selected Control Animal Groups

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male			Female		

#Oral Cavity (Oral Mucosa, Tongue, Pharynx, Tooth, Gingiva):
    Squamous Cell Carcinoma, Papilloma Squamous, or Papilloma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)
0/50 (0%)			1/50 (2%)		

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.69%   Total   6/1249 (0.48%)   Mean 0.48%   SD 1.05%

#Oral Mucosa:
    Squamous Cell Carcinoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			1/50 (2%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

*Ovary:
    Choriocarcinoma

Female		
0/49 (0%)	0/48 (0%)	0/50 (0%)
0/48 (0%)	0/50 (0%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)
0/48 (0%)	0/49 (0%)	0/47 (0%)
0/50 (0%)	0/48 (0%)	0/48 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)	0/49 (0%)	1/50 (2%)
0/45 (0%)		

Overall Incidence   Total   1/1221 (0.08%)   Mean 0.08%   SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 42
Report Date:10/04/2007

	Male				Female					

*Ovary:
    Cystadenoma

			1/49	(2%)	0/48	(0%)	1/50	(2%)		
			5/48	(10%)	3/50	(6%)	1/49	(2%)		
			3/48	(6%)	1/50	(2%)	3/50	(6%)		
			3/48	(6%)	0/49	(0%)	2/47	(4%)		
			0/50	(0%)	2/48	(4%)	2/48	(4%)		
			2/50	(4%)	6/49	(12%)	1/50	(2%)		
			1/49	(2%)	1/50	(2%)	2/47	(4%)		
			4/50	(8%)	0/49	(0%)	1/50	(2%)		
			1/45	(2%)						

Overall Incidence Total 46/1221 (3.77%) Mean 3.77% SD 3.17%

....

*Ovary:
    Fibrous Histiocytoma

			0/49	(0%)	0/48	(0%)	0/50	(0%)		
			0/48	(0%)	1/50	(2%)	0/49	(0%)		
			0/48	(0%)	0/50	(0%)	0/50	(0%)		
			0/48	(0%)	0/49	(0%)	0/47	(0%)		
			0/50	(0%)	0/48	(0%)	0/48	(0%)		
			0/50	(0%)	0/49	(0%)	0/50	(0%)		
			0/49	(0%)	0/50	(0%)	0/47	(0%)		
			0/50	(0%)	0/49	(0%)	0/50	(0%)		
			0/45	(0%)						

Overall Incidence Total 1/1221 (0.08%) Mean 0.08% SD 0.4%

....

*Ovary:
    Granulosa Cell Tumor Benign

			0/49	(0%)	2/48	(4%)	0/50	(0%)		
			0/48	(0%)	0/50	(0%)	1/49	(2%)		
			0/48	(0%)	0/50	(0%)	0/50	(0%)		
			0/48	(0%)	0/49	(0%)	0/47	(0%)		
			0/50	(0%)	2/48	(4%)	0/48	(0%)		
			0/50	(0%)	0/49	(0%)	0/50	(0%)		
			0/49	(0%)	0/50	(0%)	0/47	(0%)		
			1/50	(2%)	0/49	(0%)	1/50	(2%)		
			1/45	(2%)						

Overall Incidence Total 8/1221 (0.66%) Mean 0.66% SD 1.3%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 43
Report Date:10/04/2007

	Male			**Female**		

*Ovary:
Granulosa Cell Tumor Malignant

	0/49	(0%)	1/48	(2%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/48	(0%)	0/50	(0%)	0/50	(0%)
	0/48	(0%)	0/49	(0%)	0/47	(0%)
	0/50	(0%)	0/48	(0%)	0/48	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/47	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/45	(0%)				

Overall Incidence   Total   1/1221   (0.08%)   Mean 0.08%   SD 0.42%

··

*Ovary:
Granulosa Cell Tumor: Benign, Malignant, NOS

	0/49	(0%)	3/48	(6%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	1/49	(2%)
	0/48	(0%)	0/50	(0%)	0/50	(0%)
	0/48	(0%)	0/49	(0%)	0/47	(0%)
	0/50	(0%)	2/48	(4%)	0/48	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/47	(0%)
	1/50	(2%)	0/49	(0%)	1/50	(2%)
	1/45	(2%)				

Overall Incidence   Total   9/1221   (0.74%)   Mean 0.75%   SD 1.58%

··

*Ovary:
Hemangioma

	0/49	(0%)	0/48	(0%)	0/50	(0%)
	0/48	(0%)	0/50	(0%)	0/49	(0%)
	0/48	(0%)	0/50	(0%)	0/50	(0%)
	0/48	(0%)	0/49	(0%)	0/47	(0%)
	0/50	(0%)	0/48	(0%)	0/48	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	1/49	(2%)	0/50	(0%)	0/47	(0%)
	0/50	(0%)	0/49	(0%)	0/50	(0%)
	0/45	(0%)				

Overall Incidence   Total   1/1221   (0.08%)   Mean 0.08%   SD 0.41%

··

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

Male	Female

---

*Ovary:
  Hemangiosarcoma

		0/49	(0%)	0/48	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	1/49	(2%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/49	(0%)	1/47	(2%)
		0/50	(0%)	0/48	(0%)	0/48	(0%)
		0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/47	(0%)
		2/50	(4%)	0/49	(0%)	0/50	(0%)
		0/45	(0%)				

Overall Incidence   Total   4/1221   (0.33%)   Mean 0.33%   SD 0.96%

....

*Ovary:
  Leiomyosarcoma

		0/49	(0%)	0/48	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/49	(0%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/49	(0%)	0/47	(0%)
		0/50	(0%)	0/48	(0%)	0/48	(0%)
		0/50	(0%)	1/49	(2%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/47	(0%)
		0/50	(0%)	0/49	(0%)	0/50	(0%)
		0/45	(0%)				

Overall Incidence   Total   1/1221   (0.08%)   Mean 0.08%   SD 0.41%

....

*Ovary:
  Luteoma

		0/49	(0%)	0/48	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/49	(0%)
		1/48	(2%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/49	(0%)	0/47	(0%)
		0/50	(0%)	0/48	(0%)	0/48	(0%)
		1/50	(2%)	0/49	(0%)	0/50	(0%)
		0/49	(0%)	1/50	(2%)	0/47	(0%)
		0/50	(0%)	0/49	(0%)	0/50	(0%)
		3/45	(7%)				

Overall Incidence   Total   6/1221   (0.49%)   Mean 0.51%   SD 1.45%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories — Tumor Incidence for Selected Control Animal Groups — **Report Date:**10/04/2007
Species: MICE
Route: ALL ROUTES
Strain: B6C3F1
Vehicle: ALL VEHICLES
Length of Study: CHRONIC

	Male		Female	

*Ovary:
Teratoma Benign

Female		
0/49 (0%)	0/48 (0%)	0/50 (0%)
1/48 (2%)	0/50 (0%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)
0/48 (0%)	0/49 (0%)	0/47 (0%)
0/50 (0%)	0/48 (0%)	0/48 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)
1/49 (2%)	0/50 (0%)	0/47 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)
0/45 (0%)		

Overall Incidence — Total 2/1221 (0.16%) — Mean 0.16% — SD 0.57%

*Ovary:
Tubulostromal Adenoma

Female		
1/49 (2%)	0/48 (0%)	0/50 (0%)
0/48 (0%)	0/50 (0%)	0/49 (0%)
0/48 (0%)	0/50 (0%)	0/50 (0%)
0/48 (0%)	0/49 (0%)	0/47 (0%)
0/50 (0%)	0/48 (0%)	0/48 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)	0/49 (0%)	1/50 (2%)
0/45 (0%)		

Overall Incidence — Total 2/1221 (0.16%) — Mean 0.16% — SD 0.56%

*Pancreas:
Carcinoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/49 (0%)	0/48 (0%)	0/47 (0%)	0/50 (0%)	0/46 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/49 (2%)
	0/46 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)
0/48 (0%)			0/46 (0%)		

Overall Incidence — Total 0/1135 (0%) — Mean 0% — SD 0% — Total 1/1226 (0.08%) — Mean 0.08% — SD 0.41%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Report Date: 10/04/2007

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

*Pancreas:
Carcinoma or Adenoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/49 (0%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/46 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	1/49 (2%)
	0/46 (0%)	0/50 (0%)		0/50 (0%)	0/49 (0%)	0/49 (0%)
0/48 (0%)				0/46 (0%)		

Overall Incidence Total 0/1135 (0%)   Mean 0%   SD 0%   Total 1/1226 (0.08%)   Mean 0.08%   SD 0.41%

....

*Pituitary Gland: Pars Distalis or Unspecified Site:
Adenoma

Male				Female		
0/48 (0%)	0/48 (0%)			2/50 (4%)	1/47 (2%)	2/50 (4%)
1/48 (2%)	0/50 (0%)	0/48 (0%)		8/50 (16%)	5/50 (10%)	4/48 (8%)
0/48 (0%)	1/50 (2%)	0/48 (0%)		8/47 (17%)	3/50 (6%)	2/49 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		4/47 (9%)	7/50 (14%)	1/46 (2%)
0/49 (0%)	0/49 (0%)	0/48 (0%)		1/50 (2%)	5/49 (10%)	4/50 (8%)
0/49 (0%)	0/47 (0%)	0/49 (0%)		1/50 (2%)	4/50 (8%)	3/48 (6%)
0/49 (0%)	0/50 (0%)	1/50 (2%)		10/47 (21%)	8/50 (16%)	4/48 (8%)
	0/45 (0%)	0/49 (0%)		3/49 (6%)	2/47 (4%)	2/48 (4%)
0/47 (0%)				3/46 (7%)		

Overall Incidence Total 3/1119 (0.27%)   Mean 0.26%   SD 0.7%   Total 97/1216 (7.98%)   Mean 7.98%   SD 5.25%

....

*Pituitary Gland: Pars Distalis or Unspecified Site:
Carcinoma

Male				Female		
0/48 (0%)	0/48 (0%)			0/50 (0%)	0/47 (0%)	0/50 (0%)
0/48 (0%)	0/50 (0%)	0/48 (0%)		0/50 (0%)	0/50 (0%)	1/48 (2%)
0/48 (0%)	1/50 (2%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	0/46 (0%)
0/49 (0%)	0/49 (0%)	0/48 (0%)		0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)	0/47 (0%)	0/49 (0%)		0/50 (0%)	1/50 (2%)	0/48 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/47 (0%)	0/50 (0%)	0/48 (0%)
	0/45 (0%)	0/49 (0%)		0/49 (0%)	0/47 (0%)	0/48 (0%)
0/47 (0%)				0/46 (0%)		

Overall Incidence Total 1/1119 (0.09%)   Mean 0.09%   SD 0.42%   Total 2/1216 (0.16%)   Mean 0.16%   SD 0.57%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 47
Report Date:10/04/2007

		Male						Female					

*Pituitary Gland: Pars Distalis or Unspecified Site:
  Carcinoma or Adenoma

Male						Female					
0/48	(0%)	0/48	(0%)			2/50	(4%)	1/47	(2%)	2/50	(4%)
1/48	(2%)	0/50	(0%)	0/48	(0%)	8/50	(16%)	5/50	(10%)	5/48	(10%)
0/48	(0%)	2/50	(4%)	0/48	(0%)	8/47	(17%)	3/50	(6%)	2/49	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	4/47	(9%)	7/50	(14%)	1/46	(2%)
0/49	(0%)	0/49	(0%)	0/48	(0%)	1/50	(2%)	5/49	(10%)	4/50	(8%)
0/49	(0%)	0/47	(0%)	0/49	(0%)	1/50	(2%)	5/50	(10%)	3/48	(6%)
0/49	(0%)	0/50	(0%)	1/50	(2%)	10/47	(21%)	8/50	(16%)	4/48	(8%)
		0/45	(0%)	0/49	(0%)	3/49	(6%)	2/47	(4%)	2/48	(4%)
0/47	(0%)					3/46	(7%)				

Overall Incidence Total 4/1119 (0.36%) Mean 0.35% SD 0.99% Total 99/1216 (8.14%) Mean 8.14% SD 5.28%

*Pituitary Gland: Pars Intermedia:
  Adenoma

Male						Female					
0/48	(0%)	0/48	(0%)			0/50	(0%)	1/47	(2%)	0/50	(0%)
0/48	(0%)	0/50	(0%)	0/48	(0%)	2/50	(4%)	1/50	(2%)	0/48	(0%)
0/48	(0%)	0/50	(0%)	0/48	(0%)	1/47	(2%)	1/50	(2%)	2/49	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	1/46	(2%)
0/49	(0%)	0/49	(0%)	1/48	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
0/49	(0%)	0/47	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)
0/49	(0%)	1/50	(2%)	1/50	(2%)	0/47	(0%)	0/50	(0%)	0/48	(0%)
		0/45	(0%)	0/49	(0%)	2/49	(4%)	1/47	(2%)	0/48	(0%)
0/47	(0%)					0/46	(0%)				

Overall Incidence Total 3/1119 (0.27%) Mean 0.26% SD 0.7% Total 12/1216 (0.99%) Mean 0.99% SD 1.46%

*Pituitary Gland: Pars Intermedia:
  Carcinoma or Adenoma

Male						Female					
0/48	(0%)	0/48	(0%)			0/50	(0%)	1/47	(2%)	0/50	(0%)
0/48	(0%)	0/50	(0%)	0/48	(0%)	2/50	(4%)	1/50	(2%)	0/48	(0%)
0/48	(0%)	0/50	(0%)	0/48	(0%)	1/47	(2%)	1/50	(2%)	2/49	(4%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/47	(0%)	0/50	(0%)	1/46	(2%)
0/49	(0%)	0/49	(0%)	1/48	(2%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
0/49	(0%)	0/47	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)
0/49	(0%)	1/50	(2%)	1/50	(2%)	0/47	(0%)	0/50	(0%)	0/48	(0%)
		0/45	(0%)	0/49	(0%)	2/49	(4%)	1/47	(2%)	0/48	(0%)
0/47	(0%)					0/46	(0%)				

Overall Incidence Total 3/1119 (0.27%) Mean 0.26% SD 0.7% Total 12/1216 (0.99%) Mean 0.99% SD 1.46%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

			Male							Female						

*Prostate:
  Adenoma

0/50	(0%)	1/50	(2%)		
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/46	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)
0/50	(0%)				

Overall Incidence   Total   1/1140   (0.09%)   Mean 0.09%   SD 0.42%

....

*Prostate:
  Carcinoma or Adenoma

0/50	(0%)	1/50	(2%)		
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/48	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/46	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)
0/50	(0%)				

Overall Incidence   Total   1/1140   (0.09%)   Mean 0.09%   SD 0.42%

....

*Salivary Glands:
  Carcinoma

0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/49	(0%)	0/49	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	1/50	(2%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)						0/48	(0%)				

Overall Incidence   Total   1/1147   (0.09%)   Mean 0.09%   SD 0.42%   Total   1/1245   (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

		Male							Female						

*Salivary Glands:
  Carcinoma or Adenoma

	Male							Female					
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					0/48	(0%)				

Overall Incidence   Total   1/1147 (0.09%)   Mean 0.09%   SD 0.42%   Total   1/1245 (0.08%)   Mean 0.08%   SD 0.4%

....

#Seminal Vesicle:
  Adenoma

	Male					
	0/50	(0%)	0/50	(0%)		
	0/50	(0%)	0/50	(0%)	1/50	(2%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)
	0/50	(0%)				

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%

....

#Skeletal Muscle:
  Hemangiosarcoma

	Male							Female					
	1/50	(2%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence   Total   2/1149 (0.17%)   Mean 0.17%   SD 0.58%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

		Male								Female						

#Skeletal Muscle:
Rhabdomyosarcoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 1/1249 (0.08%) Mean 0.08% SD 0.4%

....

#Skeletal Muscle:
Rhabdomyosarcoma or Rhabdomyoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42% Total 1/1249 (0.08%) Mean 0.08% SD 0.4%

....

#Skeletal Muscle:
Sarcoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	2/50	(4%)	1/50	(2%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence Total 0/1149 (0%) Mean 0% SD 0% Total 3/1249 (0.24%) Mean 0.24% SD 0.88%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male				Female		

#Skin:
Basal Cell Adenoma or Basosquamous Tumor Benign

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Skin:
Basal Cell Adenoma, Basosquamous Tumor Benign, or Trichoepithelioma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Skin:
Basal Cell Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007

Toxicology Data Management System

Page: 52

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Report Date:10/04/2007

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male			Female		

#Skin:

Basal Cell Carcinoma or Basosquamous Tumor (malignant or NOS)

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42%   Total 2/1249 (0.16%) Mean 0.16% SD 0.55%

....

#Skin:

Basal Cell Carcinoma, Basal Cell Adenoma, Basosquamous Tumor (benign, malignant or NOS), or Trichoepithelioma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence Total 1/1149 (0.09%) Mean 0.09% SD 0.42%   Total 3/1249 (0.24%) Mean 0.24% SD 0.66%

....

#Skin:

Basal or Sq. Cell Carcinoma, Carcinoma, Basosq. Tumor (M or B), Basal Cell Adenoma, Adenoma, Papilloma, Sq Papilloma, Keratoacanthoma, Trichoepithelioma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence Total 2/1149 (0.17%) Mean 0.17% SD 0.58%   Total 6/1249 (0.48%) Mean 0.48% SD 0.87%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Version: Oct2007

Contract/Lab: All Laboratories

Species: MICE

Strain: B6C3F1

Length of Study: CHRONIC

Toxicology Data Management System

Tumor Incidence for Selected Control Animal Groups

Route: ALL ROUTES

Vehicle: ALL VEHICLES

Page: 53

Report Date:10/04/2007

	Male			Female		

#Skin:

Basosquamous Tumor Benign

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Skin:

Fibroma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   3/1149 (0.26%)   Mean 0.26%   SD 0.69%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

....

#Skin:

Fibroma, Fibrosarcoma, Sarcoma, Myxoma, Myxosarcoma, or Fibrous Histiocytoma

Male			Female		
0/50 (0%)	1/50 (2%)		1/50 (2%)	2/50 (4%)	5/50 (10%)
2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)
3/50 (6%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	1/50 (2%)	3/49 (6%)	4/50 (8%)	3/50 (6%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	6/50 (12%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	2/50 (4%)	2/50 (4%)
1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	1/50 (2%)	2/50 (4%)
	1/49 (2%)	0/50 (0%)	5/50 (10%)	4/50 (8%)	4/50 (8%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   14/1149 (1.22%)   Mean 1.22%   SD 1.57%   Total   53/1249 (4.24%)   Mean 4.24%   SD 3.43%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:** 10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male					Female		

#Skin:
   Fibrosarcoma

	Male					Female		
	0/50 (0%)	0/50 (0%)				1/50 (2%)	1/50 (2%)	4/50 (8%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/49 (0%)	0/50 (0%)	3/50 (6%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	1/50 (2%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/50 (0%)
		0/49 (0%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	4/50 (8%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 20/1249 (1.6%)   Mean 1.6%   SD 2.38%

....

#Skin:
   Fibrosarcoma, Sarcoma, Myxosarcoma, or Fibrous Histiocytoma

	Male					Female		
	0/50 (0%)	1/50 (2%)				1/50 (2%)	2/50 (4%)	5/50 (10%)
	2/50 (4%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	1/50 (2%)
	3/50 (6%)	0/50 (0%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)	1/50 (2%)			3/49 (6%)	4/50 (8%)	3/50 (6%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	2/50 (4%)	6/50 (12%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)			2/50 (4%)	2/50 (4%)	2/50 (4%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	2/50 (4%)
		0/49 (0%)	0/50 (0%)			5/50 (10%)	4/50 (8%)	4/50 (8%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total 11/1149 (0.96%)   Mean 0.96%   SD 1.58%   Total 53/1249 (4.24%)   Mean 4.24%   SD 3.43%

....

#Skin:
   Fibrous Histiocytoma

	Male					Female		
	0/50 (0%)	1/50 (2%)				0/50 (0%)	1/50 (2%)	0/50 (0%)
	1/50 (2%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	2/50 (4%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	1/50 (2%)	0/50 (0%)			0/49 (0%)	2/50 (4%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/50 (0%)	0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	1/50 (2%)
		0/49 (0%)	0/50 (0%)			0/50 (0%)	3/50 (6%)	0/50 (0%)
	0/50 (0%)					0/50 (0%)		

Overall Incidence   Total 5/1149 (0.44%)   Mean 0.43%   SD 1.04%   Total 7/1249 (0.56%)   Mean 0.56%   SD 1.47%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:** 10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male			Female		

#Skin:
Hemangioma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   6/1249 (0.48%)   Mean 0.48%   SD 1.19%

#Skin:
Hemangiosarcoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	2/50 (4%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	1/50 (2%)	1/49 (2%)	0/50 (0%)	1/50 (2%)
1/50 (2%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	2/50 (4%)	1/50 (2%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	4/50 (8%)	0/50 (0%)	1/50 (2%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   7/1149 (0.61%)   Mean 0.61%   SD 1.12%   Total   17/1249 (1.36%)   Mean 1.36%   SD 1.89%

#Skin:
Liposarcoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   1/1249 (0.08%)   Mean 0.08%   SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007   **Toxicology Data Management System**   **Page: 56**
Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male			Female		

#Skin:
  Mast Cell Tumor Malignant

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Skin:
  Melanoma Malignant

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 2/1149 (0.17%)   Mean 0.17%   SD 0.58%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Skin:
  Neural Crest Tumor

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

	Male				Female		

#Skin:
Neurofibrosarcoma or Schwannoma (malignant or NOS)

Male				Female			
1/50 (2%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)				3/50 (6%)			

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   6/1249 (0.48%)   Mean 0.48%   SD 1.33%

#Skin:
Neurofibrosarcoma, Neurofibroma, or Schwannoma (benign, malignant or NOS)

Male				Female			
1/50 (2%)	0/50 (0%)			1/50 (2%)	1/50 (2%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)				3/50 (6%)			

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   6/1249 (0.48%)   Mean 0.48%   SD 1.33%

#Skin:
Osteosarcoma

Male				Female			
0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)				0/50 (0%)			

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

----

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

		Male					Female					
#Skin:												
Sarcoma												
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	1/50	(2%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	1/50	(2%)	3/49	(6%)	2/50	(4%)	0/50	(0%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	6/50	(12%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	2/50	(4%)	1/50	(2%)
	1/50	(2%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	1/50	(2%)
			0/49	(0%)	0/50	(0%)	4/50	(8%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				
Overall Incidence Total	6/1149	(0.52%)		Mean 0.52%		SD 0.9% Total	27/1249	(2.16%)		Mean 2.16%		SD 2.89%

		Male					Female					
#Skin:												
Schwannoma Malignant												
	1/50	(2%)	0/50	(0%)			1/50	(2%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					3/50	(6%)				
Overall Incidence Total	1/1149	(0.09%)		Mean 0.09%		SD 0.42% Total	6/1249	(0.48%)		Mean 0.48%		SD 1.33%

		Male					Female					
#Skin:												
Squamous Cell Carcinoma												
	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				
Overall Incidence Total	0/1149	(0%)		Mean 0%		SD 0% Total	1/1249	(0.08%)		Mean 0.08%		SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male				**Female**		

#Skin:

Squamous Cell Carcinoma, Basal Cell Carcinoma,
Basosquamous Tumor (malignant or NOS), or Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   3/1249 (0.24%)   Mean 0.24%   SD 0.66%

....

#Skin:

Squamous Cell Papilloma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Skin:

Squamous Cell Papilloma or Papilloma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

		Male						Female					

#Skin:

Squamous Cell Papilloma, Papilloma, Squamous Cell Carcinoma or Keratoacanthoma

Male		Male		Male			Female		Female		Female	
0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)						0/50	(0%)				

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   3/1249 (0.24%)   Mean 0.24%   SD 0.66%

....

#Skin:

Squamous Cell Papilloma, Papilloma, or Keratoacanthoma

Male		Male		Male			Female		Female		Female	
0/50	(0%)	0/50	(0%)				0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	1/50	(2%)		1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)						0/50	(0%)				

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Skin: Sebaceous Gland:

Adenoma

Male		Male		Male			Female		Female		Female	
0/50	(0%)	0/50	(0%)				0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)		1/50	(2%)	1/50	(2%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)		0/50	(0%)	0/50	(0%)	1/50	(2%)
0/50	(0%)						0/50	(0%)				

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   4/1249 (0.32%)   Mean 0.32%   SD 0.75%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male					Female				

#Skin: Sebaceous Gland:
   Carcinoma or Adenoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	1/50 (2%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   4/1249 (0.32%)   Mean 0.32%   SD 0.75%

....

#Spinal Cord:
   Meningioma Malignant

Male			Female		
0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   0/1249 (0%)   Mean 0%   SD 0%

....

***Spleen:**
   Fibrous Histiocytoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	1/50 (2%)	0/49 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)
0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
	0/47 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/48 (0%)
0/48 (0%)			0/49 (0%)		

Overall Incidence   Total   0/1136 (0%)   Mean 0%   SD 0%   Total   1/1230 (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 62
Report Date: 10/04/2007

	Male				Female			

*Spleen:
   Hemangioma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
0/49 (0%)	0/50 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)	0/48 (0%)	0/50 (0%)	0/47 (0%)
0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)
0/49 (0%)	0/49 (0%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	0/48 (0%)
0/49 (0%)	1/49 (2%)	1/50 (2%)	0/49 (0%)	0/50 (0%)	0/49 (0%)
	0/47 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)	0/48 (0%)
0/48 (0%)			0/49 (0%)		

Overall Incidence   Total   2/1136 (0.18%)   Mean 0.18%   SD 0.58%   Total   1/1230 (0.08%)   Mean 0.08%   SD 0.4%

....

*Spleen:
   Hemangiosarcoma

Male			Female		
1/50 (2%)	0/50 (0%)		0/50 (0%)	2/50 (4%)	1/48 (2%)
0/50 (0%)	1/50 (2%)	0/49 (0%)	0/49 (0%)	0/50 (0%)	1/49 (2%)
1/49 (2%)	2/50 (4%)	1/50 (2%)	0/49 (0%)	1/50 (2%)	4/49 (8%)
0/50 (0%)	1/50 (2%)	2/49 (4%)	1/48 (2%)	1/50 (2%)	0/47 (0%)
1/50 (2%)	0/49 (0%)	1/50 (2%)	0/50 (0%)	2/49 (4%)	0/50 (0%)
1/49 (2%)	1/49 (2%)	2/49 (4%)	0/49 (0%)	1/50 (2%)	1/48 (2%)
0/49 (0%)	2/49 (4%)	1/50 (2%)	1/49 (2%)	1/50 (2%)	1/49 (2%)
	2/47 (4%)	1/50 (2%)	4/50 (8%)	0/50 (0%)	0/48 (0%)
0/48 (0%)			2/49 (4%)		

Overall Incidence   Total   21/1136 (1.85%)   Mean 1.85%   SD 1.5%   Total   24/1230 (1.95%)   Mean 1.95%   SD 2.3%

....

#Stomach, Forestomach:
   Mast Cell Tumor Malignant

Male			Female		
0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total   0/1249 (0%)   Mean 0%   SD 0%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

#Stomach, Forestomach:
  Squamous Cell Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)				0/50 (0%)		

Overall Incidence — Total 3/1149 (0.26%)   Mean 0.26%   SD 0.69% — Total 2/1249 (0.16%)   Mean 0.16%   SD 0.55%

....

#Stomach, Forestomach:
  Squamous Cell Carcinoma or Papilloma Squamous

Male				Female		
1/50 (2%)	2/50 (4%)			2/50 (4%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	1/50 (2%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
1/50 (2%)	0/50 (0%)	2/50 (4%)		0/49 (0%)	1/50 (2%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	2/50 (4%)	0/50 (0%)
	1/49 (2%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
0/50 (0%)				0/50 (0%)		

Overall Incidence — Total 13/1149 (1.13%)   Mean 1.13%   SD 1.46% — Total 22/1249 (1.76%)   Mean 1.76%   SD 1.45%

....

#Stomach, Forestomach:
  Squamous Cell Papilloma

Male				Female		
1/50 (2%)	2/50 (4%)			1/50 (2%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	1/50 (2%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
1/50 (2%)	0/50 (0%)	2/50 (4%)		0/50 (0%)	1/50 (2%)	2/50 (4%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/49 (2%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		2/50 (4%)	2/50 (4%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		1/50 (2%)	1/50 (2%)	1/50 (2%)
0/50 (0%)	1/50 (2%)	2/50 (4%)		0/50 (0%)	2/50 (4%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	1/50 (2%)
0/50 (0%)				0/50 (0%)		

Overall Incidence — Total 11/1149 (0.96%)   Mean 0.96%   SD 1.46% — Total 20/1249 (1.6%)   Mean 1.6%   SD 1.41%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male						**Female**					

#Stomach, Glandular:
Adenoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence	Total	0/1149	(0%)	Mean 0%		SD 0%	Total	3/1249	(0.24%)	Mean 0.24%		SD 0.67%

....

#Stomach, Glandular:
Carcinoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence	Total	0/1149	(0%)	Mean 0%		SD 0%	Total	1/1249	(0.08%)	Mean 0.08%		SD 0.4%

....

#Stomach, Glandular:
Carcinoma or Adenoma

	0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/49	(2%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
	0/50	(0%)					0/50	(0%)				

Overall Incidence	Total	0/1149	(0%)	Mean 0%		SD 0%	Total	4/1249	(0.32%)	Mean 0.32%		SD 0.75%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

	Male			**Female**

*Testes:
  Adenoma

0/50 (0%)	0/50 (0%)		
1/50 (2%)	2/50 (4%)	0/50 (0%)	
1/50 (2%)	0/50 (0%)	0/50 (0%)	
2/50 (4%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
1/50 (2%)	0/50 (0%)	1/50 (2%)	
	0/49 (0%)	1/50 (2%)	
0/50 (0%)			

Overall Incidence   Total   9/1149 (0.78%)   Mean 0.78%   SD 1.31%

....

*Testes:
  Hemangiosarcoma

0/50 (0%)	0/50 (0%)		
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
	1/49 (2%)	0/50 (0%)	
0/50 (0%)			

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.43%

....

*Testes:
  Seratoli Tumor: Benign, Malignant, NOS

0/50 (0%)	0/50 (0%)		
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
1/50 (2%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)	
0/50 (0%)			

Overall Incidence   Total   1/1149 (0.09%)   Mean 0.09%   SD 0.42%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male						Female					

*Testes:
Sertoli Cell Tumor Malignant

0/50	(0%)	0/50	(0%)		
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
1/50	(2%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)
0/50	(0%)				

Overall Incidence   Total   1/1149   (0.09%)   Mean 0.09%   SD 0.42%

....

*Thymus:
Thymoma Malignant

Male						Female					
0/46	(0%)	0/41	(0%)			0/46	(0%)	0/49	(0%)	0/50	(0%)
0/45	(0%)	1/47	(2%)	0/47	(0%)	0/49	(0%)	1/47	(2%)	0/46	(0%)
0/44	(0%)	0/47	(0%)	0/43	(0%)	0/49	(0%)	0/49	(0%)	0/47	(0%)
0/48	(0%)	1/42	(2%)	0/38	(0%)	0/47	(0%)	0/49	(0%)	0/43	(0%)
0/47	(0%)	0/48	(0%)	0/41	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
0/47	(0%)	0/47	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	0/46	(0%)
0/41	(0%)	0/48	(0%)	0/46	(0%)	0/43	(0%)	0/49	(0%)	0/49	(0%)
		0/42	(0%)	0/44	(0%)	1/49	(2%)	0/44	(0%)	0/46	(0%)
0/43	(0%)					0/48	(0%)				

Overall Incidence   Total   2/1031   (0.19%)   Mean 0.2%   SD 0.65%   Total   2/1192   (0.17%)   Mean 0.17%   SD 0.58%

....

*Thymus:
Thymoma: Benign, Malignant, NOS

Male						Female					
0/46	(0%)	0/41	(0%)			0/46	(0%)	0/49	(0%)	0/50	(0%)
0/45	(0%)	1/47	(2%)	0/47	(0%)	0/49	(0%)	1/47	(2%)	0/46	(0%)
0/44	(0%)	0/47	(0%)	0/43	(0%)	0/49	(0%)	0/49	(0%)	0/47	(0%)
0/48	(0%)	1/42	(2%)	0/38	(0%)	0/47	(0%)	0/49	(0%)	0/43	(0%)
0/47	(0%)	0/48	(0%)	0/41	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)
0/47	(0%)	0/47	(0%)	0/49	(0%)	0/49	(0%)	0/49	(0%)	0/46	(0%)
0/41	(0%)	0/48	(0%)	0/46	(0%)	0/43	(0%)	0/49	(0%)	0/49	(0%)
		0/42	(0%)	0/44	(0%)	1/49	(2%)	0/44	(0%)	0/46	(0%)
0/43	(0%)					0/48	(0%)				

Overall Incidence   Total   2/1031   (0.19%)   Mean 0.2%   SD 0.65%   Total   2/1192   (0.17%)   Mean 0.17%   SD 0.58%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

		Male							Female					

*Thyroid Gland:
  Adenoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	0/50	(0%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/48	(0%)					0/48	(0%)				

Overall Incidence   Total   0/1142 (0%)   Mean 0%   SD 0%   Total 1/1234 (0.08%)   Mean 0.08%   SD 0.4%

....

*Thyroid Gland: C-Cell:
  Carcinoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	1/50	(2%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/48	(0%)					0/48	(0%)				

Overall Incidence   Total   0/1142 (0%)   Mean 0%   SD 0%   Total 2/1234 (0.16%)   Mean 0.16%   SD 0.55%

....

*Thyroid Gland: C-Cell:
  Carcinoma or Adenoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/49	(0%)	0/48	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/48	(0%)	1/50	(2%)	0/46	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/48	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)
0/48	(0%)					0/48	(0%)				

Overall Incidence   Total   0/1142 (0%)   Mean 0%   SD 0%   Total 2/1234 (0.16%)   Mean 0.16%   SD 0.55%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male				Female		

*Thyroid Gland: Follicular Cell:
  Adenoma

Male				Female		
1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	3/50 (6%)
0/49 (0%)	0/50 (0%)	2/50 (4%)		0/49 (0%)	2/49 (4%)	1/48 (2%)
0/50 (0%)	0/50 (0%)	3/50 (6%)		0/48 (0%)	0/50 (0%)	1/46 (2%)
0/50 (0%)	1/50 (2%)	3/50 (6%)		1/49 (2%)	0/50 (0%)	3/50 (6%)
0/50 (0%)	0/49 (0%)	1/50 (2%)		1/50 (2%)	2/50 (4%)	1/50 (2%)
1/49 (2%)	1/50 (2%)	3/50 (6%)		2/50 (4%)	0/50 (0%)	3/50 (6%)
	0/48 (0%)	3/50 (6%)		2/50 (4%)	3/50 (6%)	1/49 (2%)
0/48 (0%)				1/48 (2%)		

Overall Incidence   Total   19/1142 (1.66%)   Mean 1.65%   SD 2.31%   Total   29/1234 (2.35%)   Mean 2.34%   SD 2.14%

....

*Thyroid Gland: Follicular Cell:
  Carcinoma

Male				Female		
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		1/50 (2%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/49 (0%)	0/48 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	1/50 (2%)	0/46 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
	0/48 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)
0/48 (0%)				0/48 (0%)		

Overall Incidence   Total   3/1142 (0.26%)   Mean 0.26%   SD 0.69%   Total   3/1234 (0.24%)   Mean 0.24%   SD 0.66%

....

*Thyroid Gland: Follicular Cell:
  Carcinoma or Adenoma

Male				Female		
1/50 (2%)	0/50 (0%)			0/50 (0%)	1/50 (2%)	0/48 (0%)
0/50 (0%)	0/50 (0%)	0/49 (0%)		2/50 (4%)	0/50 (0%)	3/50 (6%)
0/49 (0%)	1/50 (2%)	2/50 (4%)		0/49 (0%)	2/49 (4%)	1/48 (2%)
1/50 (2%)	0/50 (0%)	3/50 (6%)		0/48 (0%)	1/50 (2%)	1/46 (2%)
0/50 (0%)	1/50 (2%)	3/50 (6%)		1/49 (2%)	0/50 (0%)	3/50 (6%)
1/50 (2%)	0/49 (0%)	1/50 (2%)		1/50 (2%)	2/50 (4%)	1/50 (2%)
1/49 (2%)	1/50 (2%)	3/50 (6%)		2/50 (4%)	1/50 (2%)	3/50 (6%)
	0/48 (0%)	3/50 (6%)		2/50 (4%)	3/50 (6%)	1/49 (2%)
0/48 (0%)				1/48 (2%)		

Overall Incidence   Total   22/1142 (1.93%)   Mean 1.91%   SD 2.21%   Total   32/1234 (2.59%)   Mean 2.58%   SD 2.04%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories

Tumor Incidence for Selected Control Animal Groups

Report Date: 10/04/2007

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male					Female		

#Tissue NOS:
Carcinoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Tissue NOS:
Hemangiosarcoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 0/1149 (0%)   Mean 0%   SD 0%   Total 1/1249 (0.08%)   Mean 0.08%   SD 0.4%

#Tissue NOS:
Schwannoma Malignant

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total 1/1149 (0.09%)   Mean 0.09%   SD 0.42%   Total 0/1249 (0%)   Mean 0%   SD 0%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male			**Female**		

#Tongue:
Squamous Cell Carcinoma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   2/1149 (0.17%)   Mean 0.17%   SD 0.58%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

#Tongue:
Squamous Cell Carcinoma or Papilloma Squamous

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
1/50 (2%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	2/50 (4%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   2/1149 (0.17%)   Mean 0.17%   SD 0.58%   Total   4/1249 (0.32%)   Mean 0.32%   SD 0.95%

#Tongue:
Squamous Cell Papilloma

Male			Female		
0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/49 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)	0/50 (0%)
	0/49 (0%)	0/50 (0%)	0/50 (0%)	1/50 (2%)	0/50 (0%)
0/50 (0%)			0/50 (0%)		

Overall Incidence   Total   0/1149 (0%)   Mean 0%   SD 0%   Total   2/1249 (0.16%)   Mean 0.16%   SD 0.55%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Species: MICE

Route: ALL ROUTES

Strain: B6C3F1

Vehicle: ALL VEHICLES

Length of Study: CHRONIC

	Male					**Female**		

#Tooth:

  Odontoma

Col1	Col2	Col3	Col4	Col5	Col6	Col7	Col8
1/50 (2%)	0/50 (0%)			0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)	1/50 (2%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/50 (0%)				0/50 (0%)			

Overall Incidence   Total   2/1149 (0.17%)   Mean 0.17%   SD 0.58%   Total   0/1249 (0%)   Mean 0%   SD 0%

*Urinary Bladder:

  Hemangioma

Col1	Col2	Col3	Col4	Col5	Col6	Col7	Col8
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	1/50 (2%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
0/48 (0%)	1/50 (2%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)	0/50 (0%)	0/48 (0%)		0/47 (0%)	0/50 (0%)	0/45 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)				0/49 (0%)			

Overall Incidence   Total   2/1140 (0.18%)   Mean 0.17%   SD 0.58%   Total   0/1234 (0%)   Mean 0%   SD 0%

*Urinary Bladder:

  Hemangiosarcoma

Col1	Col2	Col3	Col4	Col5	Col6	Col7	Col8
0/50 (0%)	0/50 (0%)			0/50 (0%)	0/49 (0%)	0/50 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
0/48 (0%)	0/50 (0%)	0/50 (0%)		0/49 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)	0/50 (0%)	1/48 (2%)		0/47 (0%)	0/50 (0%)	0/45 (0%)	
0/50 (0%)	0/50 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/49 (0%)	
0/50 (0%)	0/49 (0%)	0/49 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)	0/50 (0%)	0/50 (0%)		0/48 (0%)	0/50 (0%)	0/50 (0%)	
	0/49 (0%)	0/50 (0%)		0/50 (0%)	0/50 (0%)	0/50 (0%)	
0/49 (0%)				0/49 (0%)			

Overall Incidence   Total   1/1140 (0.09%)   Mean 0.09%   SD 0.43%   Total   0/1234 (0%)   Mean 0%   SD 0%

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male	Female					

#Uterus:
    Adenoma

			Female				
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	1/50	(2%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)				

Overall Incidence   Total   3/1249   (0.24%)   Mean 0.24%   SD 0.66%

....

#Uterus:
    Carcinoma

			Female				
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		3/50	(6%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	1/50	(2%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)				

Overall Incidence   Total   4/1249   (0.32%)   Mean 0.32%   SD 1.25%

....

#Uterus:
    Deciduoma Benign

			Female				
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)	0/50	(0%)	0/50	(0%)
		1/50	(2%)	0/50	(0%)	0/50	(0%)
		0/50	(0%)				

Overall Incidence   Total   1/1249   (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007

Species: MICE   **Route:** ALL ROUTES

Strain: B6C3F1   **Vehicle:** ALL VEHICLES

Length of Study: CHRONIC

	Male			**Female**		

#Uterus:

    Hemangioma

		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	2/50 (4%)
		0/49	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	1/50	(2%)	0/50 (0%)
		0/50	(0%)			

Overall Incidence   Total   3/1249 (0.24%)   Mean 0.24%   SD 0.88%

....

#Uterus:

    Hemangiosarcoma

		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/49	(0%)	1/50	(2%)	1/50 (2%)
		1/50	(2%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		2/50	(4%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)			

Overall Incidence   Total   6/1249 (0.48%)   Mean 0.48%   SD 1.05%

....

#Uterus:

    Leiomyoma

		0/50	(0%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/49	(0%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	1/50 (2%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)	0/50	(0%)	0/50 (0%)
		0/50	(0%)			

Overall Incidence   Total   3/1249 (0.24%)   Mean 0.24%   SD 0.66%

....

*: Denominator is number of animals with tissues examined microscopically

#: Denominator is number of animals necropsied

	Male			Female			

#Uterus:
  Leiomyosarcoma

			0/50	(0%)	2/50	(4%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	1/50	(2%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)				

Overall Incidence Total 3/1249 (0.24%) Mean 0.24% SD 0.88%

....

#Uterus:
  Polyp Stromal

			4/50	(8%)	2/50	(4%)	0/50	(0%)
			3/50	(6%)	1/50	(2%)	4/50	(8%)
			1/50	(2%)	0/50	(0%)	1/50	(2%)
			0/49	(0%)	3/50	(6%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	3/50	(6%)
			0/50	(0%)	2/50	(4%)	1/50	(2%)
			2/50	(4%)	1/50	(2%)	2/50	(4%)
			0/50	(0%)	1/50	(2%)	1/50	(2%)
			1/50	(2%)				

Overall Incidence Total 33/1249 (2.64%) Mean 2.64% SD 2.56%

....

#Uterus:
  Sarcoma Stromal

			1/50	(2%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			1/49	(2%)	1/50	(2%)	0/50	(0%)
			1/50	(2%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			1/50	(2%)	0/50	(0%)	0/50	(0%)
			2/50	(4%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)				

Overall Incidence Total 7/1249 (0.56%) Mean 0.56% SD 1.09%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Version: Oct2007
Contract/Lab: All Laboratories
Species: MICE
Strain: B6C3F1
Length of Study: CHRONIC

Toxicology Data Management System
Tumor Incidence for Selected Control Animal Groups
Route: ALL ROUTES
Vehicle: ALL VEHICLES

Page: 75
Report Date:10/04/2007

Male			Female					

#Uterus:
Sarcoma Stromal or Polyp Stromal

			5/50	(10%)	2/50	(4%)	0/50	(0%)
			3/50	(6%)	1/50	(2%)	4/50	(8%)
			1/50	(2%)	0/50	(0%)	1/50	(2%)
			1/49	(2%)	4/50	(8%)	0/50	(0%)
			1/50	(2%)	0/50	(0%)	3/50	(6%)
			0/50	(0%)	2/50	(4%)	1/50	(2%)
			3/50	(6%)	1/50	(2%)	2/50	(4%)
			2/50	(4%)	1/50	(2%)	1/50	(2%)
			1/50	(2%)				

Overall Incidence Total 40/1249 (3.2%) Mean 3.2% SD 2.77%

#Uterus:
Schwannoma Malignant

			0/50	(0%)	1/50	(2%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	1/50	(2%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)				

Overall Incidence Total 2/1249 (0.16%) Mean 0.16% SD 0.55%

#Vagina:
Squamous Cell Carcinoma

			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/49	(0%)	0/50	(0%)	1/50	(2%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)	0/50	(0%)	0/50	(0%)
			0/50	(0%)				

Overall Incidence Total 1/1249 (0.08%) Mean 0.08% SD 0.4%

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied

Contract/Lab: All Laboratories   Tumor Incidence for Selected Control Animal Groups   **Report Date:**10/04/2007
Species: MICE   **Route:** ALL ROUTES
Strain: B6C3F1   **Vehicle:** ALL VEHICLES
Length of Study: CHRONIC

	Male						Female					

#Vagina:
  Squamous Cell Papilloma

						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/49	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)	0/50	(0%)	1/50	(2%)
						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)	0/50	(0%)	0/50	(0%)
						0/50	(0%)				

Overall Incidence   Total   1/1249   (0.08%)   Mean 0.08%   SD 0.4%

....

#Zymbal's Gland:
  Carcinoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence   Total   0/1149   (0%)   Mean 0%   SD 0%   Total   1/1249   (0.08%)   Mean 0.08%   SD 0.4%

....

#Zymbal's Gland:
  Carcinoma or Adenoma

0/50	(0%)	0/50	(0%)			0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/49	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	1/50	(2%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
		0/49	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)	0/50	(0%)
0/50	(0%)					0/50	(0%)				

Overall Incidence   Total   0/1149   (0%)   Mean 0%   SD 0%   Total   1/1249   (0.08%)   Mean 0.08%   SD 0.4%

....

*: Denominator is number of animals with tissues examined microscopically
#: Denominator is number of animals necropsied